



US009055978B2

(12) **United States Patent**
Jackson

(10) **Patent No.:** **US 9,055,978 B2**
(45) **Date of Patent:** ***Jun. 16, 2015**

(54) **ORTHOPEDIC IMPLANT ROD REDUCTION TOOL SET AND METHOD**

USPC 606/264, 278, 99, 104, 256, 279, 305, 606/86 A, 96 R, 246, 300, 301, 308, 304
See application file for complete search history.

(71) Applicant: **Roger P. Jackson**, Prairie Village, KS (US)

(56) **References Cited**

(72) Inventor: **Roger P. Jackson**, Prairie Village, KS (US)

U.S. PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

854,956 A 5/1907 Martin
1,472,464 A 10/1923 Ellison

(Continued)

This patent is subject to a terminal disclaimer.

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **13/573,660**

CA 2577436 6/2006
DE 9202745.8 4/1992

(Continued)

(22) Filed: **Oct. 2, 2012**

OTHER PUBLICATIONS

(65) **Prior Publication Data**

Brochure of Spinal Concepts, *Pathfinder, Minimally Invasive Pedicle Fixation System*, Publication Date: May 2003.

US 2013/0035728 A1 Feb. 7, 2013

(Continued)

Related U.S. Application Data

Primary Examiner — Pedro Philogene

(60) Continuation of application No. 13/374,932, filed on Jan. 24, 2012, now Pat. No. 8,377,067, which is a continuation of application No. 12/584,413, filed on Sep. 4, 2009, now Pat. No. 8,100,915, which is a

(74) *Attorney, Agent, or Firm* — John C. McMahon

(Continued)

(57) **ABSTRACT**

(51) **Int. Cl.**
A61B 17/86 (2006.01)
A61B 17/90 (2006.01)


(Continued)

A tool set for implanting a rod in a human spine in conjunction with bone screws. The tool set includes a pair of end guide tools that receive opposite ends of the rod in channels and under manipulation by a surgeon facilitate transport of the rod toward the bone screws attached to the guide tools. Intermediate guide tools having guiding pass through slots are utilized to guide intermediate locations along the rod toward associated bone screws. An attachment structure operably connects the guide tools to the bone screws. The guide tools each include a lower guide and advancement structure to allow a closure top with mating structure to be rotated and driven downward against the rod and to cooperate with similar structure in the bone screw to seat and lock the rod therein. A method utilizing the tool set allows a surgeon to percutaneously implant the rod in the patient.

(52) **U.S. Cl.**
CPC *A61B 17/7001* (2013.01); *A61B 17/7011* (2013.01); *A61B 17/7032* (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC A61B 17/7032; A61B 17/7088; A61B 17/7085; A61B 17/7091; A61B 17/7037; A61B 17/7011

41 Claims, 13 Drawing Sheets



Related U.S. Application Data

continuation of application No. 12/220,185, filed on Jul. 22, 2008, now Pat. No. 8,162,948, which is a division of application No. 10/789,149, filed on Feb. 27, 2004, now Pat. No. 7,160,300.

- (51) **Int. Cl.**
A61B 17/70 (2006.01)
A61B 17/56 (2006.01)
- (52) **U.S. Cl.**
 CPC *A61B17/7037* (2013.01); *A61B 17/7085* (2013.01); *A61B 17/7091* (2013.01); *A61B 17/7088* (2013.01); *A61B 2017/564* (2013.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,243,717 A 5/1941 Moreira
 2,346,346 A 4/1944 Anderson
 2,362,999 A 11/1944 Elmer
 2,524,095 A 10/1950 Williams
 2,531,892 A 11/1950 Reese
 2,532,972 A 12/1950 Vertin
 2,579,438 A 12/1951 Longfellow
 2,669,896 A 2/1954 Clough
 2,813,450 A 11/1957 Dzus
 3,013,244 A 12/1961 Rudy
 3,236,275 A 2/1966 Smith
 3,604,487 A 9/1971 Gilbert
 3,640,416 A 2/1972 Temple
 3,997,138 A 12/1976 Crock et al.
 4,033,139 A 7/1977 Frederick
 4,041,939 A 8/1977 Hall
 4,190,091 A 2/1980 Colognori
 4,347,845 A 9/1982 Mayfield
 4,373,754 A 2/1983 Bollfrass et al.
 4,409,968 A 10/1983 Drummond
 4,448,191 A 5/1984 Rodnyansky et al.
 4,484,570 A 11/1984 Sutter et al.
 4,600,224 A 7/1986 Blose
 4,653,486 A 3/1987 Coker
 4,703,954 A 11/1987 Ortloff et al.
 4,707,001 A 11/1987 Johnson
 4,743,260 A 5/1988 Burton
 4,748,260 A 5/1988 Marlett
 4,759,672 A 7/1988 Nilsen et al.
 4,790,297 A 12/1988 Luque
 4,836,196 A 6/1989 Park et al.
 4,838,264 A 6/1989 Bremer et al.
 4,877,020 A 10/1989 Vich
 4,887,596 A 12/1989 Sherman
 4,946,458 A 8/1990 Harms et al.
 4,950,269 A 8/1990 Gaines, Jr.
 4,961,740 A 10/1990 Ray et al.
 5,005,562 A 4/1991 Cotrel
 5,015,247 A 5/1991 Michelson
 5,019,080 A 5/1991 Hemer
 5,020,519 A 6/1991 Hayes et al.
 5,022,791 A 6/1991 Isler
 5,034,011 A 7/1991 Howland
 5,067,955 A 11/1991 Cotrel
 5,084,048 A 1/1992 Jacob et al.
 5,092,635 A 3/1992 DeLange et al.
 5,092,866 A 3/1992 Breard et al.
 5,102,412 A 4/1992 Rogozinski
 5,129,388 A 7/1992 Vignaud et al.
 5,147,363 A 9/1992 Harle
 5,154,719 A 10/1992 Cotrel
 5,176,483 A 1/1993 Baumann et al.
 5,176,678 A 1/1993 Tsou
 5,176,680 A 1/1993 Vignaud et al.
 5,180,393 A 1/1993 Commarmond
 5,207,678 A 5/1993 Harms et al.
 5,217,497 A 6/1993 Mehdian

5,257,993 A 11/1993 Asher et al.
 5,261,907 A 11/1993 Vignaud et al.
 5,261,912 A 11/1993 Frigg
 5,275,601 A 1/1994 Gogolewski et al.
 5,282,862 A 2/1994 Baker et al.
 5,282,863 A 2/1994 Burton
 D346,217 S 4/1994 Sparker et al.
 5,306,275 A 4/1994 Bryan
 5,312,404 A 5/1994 Asher et al.
 5,321,901 A 6/1994 Kelly
 5,330,472 A 7/1994 Metz-Stavenhagen
 5,334,203 A 8/1994 Wagner
 5,346,493 A 9/1994 Stahurski et al.
 5,354,292 A 10/1994 Braeuer et al.
 5,358,289 A 10/1994 Banker et al.
 5,360,431 A 11/1994 Puno et al.
 5,375,823 A 12/1994 Navas
 5,385,583 A 1/1995 Cotrel
 5,395,371 A 3/1995 Miller et al.
 5,409,489 A 4/1995 Sioufi
 5,415,661 A 5/1995 Holmes
 5,423,816 A 6/1995 Lin
 5,427,418 A 6/1995 Watts
 5,429,639 A 7/1995 Judet
 5,443,467 A 8/1995 Biedermann et al.
 5,466,237 A 11/1995 Byrd, III et al.
 5,468,241 A 11/1995 Metz-Stavenhagen et al.
 5,474,555 A 12/1995 Puno et al.
 5,476,462 A 12/1995 Allard et al.
 5,476,464 A 12/1995 Metz-Stavenhagen et al.
 5,480,401 A 1/1996 Navas
 5,484,437 A 1/1996 Michelson
 5,484,440 A 1/1996 Allard
 5,487,742 A 1/1996 Cotrel
 5,489,307 A 2/1996 Kuslich et al.
 5,490,750 A 2/1996 Gundy
 5,496,321 A 3/1996 Puno et al.
 5,499,892 A 3/1996 Reed
 5,505,731 A 4/1996 Tornier
 5,507,745 A 4/1996 Logroscino et al.
 5,534,001 A 7/1996 Schlapfer et al.
 5,540,688 A 7/1996 Navas
 5,545,165 A 8/1996 Biedermann et al.
 5,549,607 A 8/1996 Olson et al.
 5,554,157 A 9/1996 Errico et al.
 5,562,660 A 10/1996 Grob
 5,562,663 A 10/1996 Wisniewski et al.
 5,569,247 A 10/1996 Morrison
 5,569,251 A 10/1996 Baker et al.
 5,584,834 A 12/1996 Errico et al.
 5,586,984 A 12/1996 Errico et al.
 5,591,166 A 1/1997 Bernhardt et al.
 5,601,553 A 2/1997 Trebing et al.
 5,607,304 A 3/1997 Bailey et al.
 5,607,425 A 3/1997 Rogozinski
 5,607,426 A 3/1997 Ralph et al.
 5,607,428 A 3/1997 Lin
 5,611,800 A 3/1997 Davis et al.
 5,628,740 A 5/1997 Mullane
 5,630,817 A 5/1997 Rokegem
 5,641,256 A 6/1997 Gundy
 5,643,260 A 7/1997 Doherty
 5,643,261 A 7/1997 Schafer et al.
 5,647,873 A 7/1997 Errico et al.
 5,662,652 A 9/1997 Schafer et al.
 5,662,653 A 9/1997 Songer et al.
 5,669,909 A 9/1997 Zdeblick et al.
 5,669,911 A 9/1997 Errico et al.
 5,672,175 A 9/1997 Martin
 5,672,176 A 9/1997 Biedermann et al.
 5,676,703 A 10/1997 Gelbard
 5,681,319 A 10/1997 Biedermann et al.
 5,683,390 A 11/1997 Metz-Stavenhagen et al.
 5,683,391 A 11/1997 Boyd
 5,683,392 A 11/1997 Richelsoph
 5,690,630 A 11/1997 Errico et al.
 5,697,929 A 12/1997 Mellinger
 5,711,709 A 1/1998 McCoy
 5,713,898 A 2/1998 Stucker et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

5,716,356	A	2/1998	Biedermann et al.	6,241,730	B1	6/2001	Alby
5,720,751	A	2/1998	Jackson	6,248,105	B1	6/2001	Schlapfer et al.
5,723,013	A	3/1998	Jeanson et al.	6,248,107	B1	6/2001	Foley et al.
5,725,527	A	3/1998	Biedermann et al.	6,251,112	B1	6/2001	Jackson
5,725,528	A	3/1998	Errico et al.	6,254,146	B1	7/2001	Church
5,728,098	A	3/1998	Sherman et al.	6,254,602	B1	7/2001	Justis
5,733,286	A	3/1998	Errico et al.	6,267,764	B1	7/2001	Elberg
5,738,685	A	4/1998	Halm et al.	6,267,765	B1	7/2001	Taylor et al.
5,741,254	A	4/1998	Henry et al.	6,273,888	B1	8/2001	Justis
5,752,957	A	5/1998	Ralph et al.	6,277,122	B1	8/2001	McGahan et al.
5,782,830	A	7/1998	Farris	6,280,442	B1	8/2001	Barker et al.
5,782,833	A	7/1998	Haider	6,280,445	B1	8/2001	Morrison et al.
5,792,044	A	8/1998	Foley et al.	6,287,308	B1	9/2001	Betz et al.
5,797,911	A	8/1998	Sherman et al.	6,287,311	B1	9/2001	Sherman et al.
5,800,435	A	9/1998	Errico et al.	6,290,700	B1	9/2001	Schmotzer
5,800,547	A	9/1998	Schafer et al.	6,296,642	B1	10/2001	Morrison et al.
5,810,816	A	9/1998	Roussouly et al.	6,296,643	B1	10/2001	Hopf et al.
5,817,094	A	10/1998	Errico et al.	6,299,613	B1	10/2001	Ogilvie et al.
5,855,151	A	1/1999	Habermehl	6,299,616	B1	10/2001	Berger
5,863,293	A	1/1999	Richelsoph	6,302,888	B1	10/2001	Mellinger et al.
5,865,487	A	2/1999	Gore et al.	6,309,391	B1	10/2001	Crandall et al.
5,873,878	A	2/1999	Harms et al.	6,315,564	B1	11/2001	Levisman
5,876,402	A	3/1999	Errico et al.	6,315,779	B1	11/2001	Morrison et al.
5,879,350	A	3/1999	Sherman et al.	6,331,179	B1	12/2001	Freid et al.
5,879,351	A	3/1999	Viart	6,355,040	B1	3/2002	Richelsoph et al.
5,882,350	A	3/1999	Ralph et al.	RE37,665	E	4/2002	Ralph et al.
5,885,286	A	3/1999	Sherman et al.	6,368,321	B1	4/2002	Jackson
5,891,145	A	4/1999	Morrison et al.	6,371,957	B1	4/2002	Amrein et al.
5,902,231	A	5/1999	Foley et al.	6,379,356	B1	4/2002	Jackson
RE36,221	E	6/1999	Breard et al.	6,402,752	B2	6/2002	Schaffler-Wachter et al.
5,910,141	A	6/1999	Morrison et al.	6,402,757	B1	6/2002	Moore et al.
5,938,663	A	8/1999	Petreto	6,440,133	B1 *	8/2002	Beale et al. 606/86 A
5,944,465	A	8/1999	Janitzki	6,440,137	B1	8/2002	Horvath et al.
5,951,553	A	9/1999	Betz	6,443,956	B1	9/2002	Ray
5,954,725	A	9/1999	Sherman et al.	6,451,021	B1	9/2002	Ralph et al.
5,961,517	A	10/1999	Biedermann et al.	6,471,703	B1	10/2002	Ashman
5,964,760	A	10/1999	Richelsoph	6,471,705	B1	10/2002	Biedermann et al.
6,001,098	A	12/1999	Metz-Stavenhagen et al.	6,478,798	B1	11/2002	Howland
6,004,349	A	12/1999	Jackson	6,478,800	B1	11/2002	Fraser et al.
6,010,503	A	1/2000	Richelsoph et al.	6,478,801	B1	11/2002	Ralph et al.
6,019,759	A	2/2000	Rogozinski	6,485,491	B1	11/2002	Farris et al.
6,022,350	A	2/2000	Ganem	6,485,492	B1	11/2002	Halm et al.
6,053,917	A	4/2000	Sherman et al.	6,485,494	B1	11/2002	Haider
6,059,786	A	5/2000	Jackson	6,488,681	B2	12/2002	Martin et al.
6,063,088	A	5/2000	Winslow	6,508,818	B2	1/2003	Steiner et al.
6,063,090	A	5/2000	Schlapfer	6,511,484	B2	1/2003	Torode et al.
6,074,391	A	6/2000	Metz-Stavenhagen et al.	6,520,962	B1	2/2003	Taylor et al.
6,077,262	A	6/2000	Schlapfer et al.	6,527,804	B1	3/2003	Gauchet et al.
6,086,588	A	7/2000	Ameil et al.	6,530,929	B1 *	3/2003	Justis et al. 606/103
6,090,110	A	7/2000	Metz-Stavenhagen	6,533,786	B1	3/2003	Needham et al.
6,090,111	A	7/2000	Nichols	6,539,826	B2	4/2003	Oesterle et al.
6,099,528	A	8/2000	Saurat	6,540,749	B2	4/2003	Schafer et al.
6,102,912	A	8/2000	Cazin et al.	6,547,790	B2	4/2003	Harkey, III et al.
6,102,913	A	8/2000	Jackson	6,551,320	B2	4/2003	Liebermann
6,110,172	A	8/2000	Jackson	6,551,323	B2	4/2003	Doubler et al.
6,113,601	A	9/2000	Tatar	6,554,831	B1	4/2003	Rivard et al.
6,117,137	A	9/2000	Halm et al.	6,554,832	B2	4/2003	Shluzas
6,132,431	A	10/2000	Nilsson et al.	6,554,834	B1	4/2003	Crozet et al.
6,132,432	A	10/2000	Richelsoph	6,558,387	B2	5/2003	Errico et al.
6,132,434	A	10/2000	Sherman et al.	6,562,038	B1	5/2003	Morrison
6,136,002	A	10/2000	Shih et al.	6,562,040	B1	5/2003	Wagner
6,139,549	A	10/2000	Keller	6,565,565	B1	5/2003	Yuan et al.
6,143,032	A	11/2000	Schafer et al.	6,565,567	B1	5/2003	Haider
6,146,383	A	11/2000	Studer et al.	6,572,618	B1	6/2003	Morrison
6,183,472	B1	2/2001	Lutz	6,582,436	B2	6/2003	Schlapfer et al.
6,186,718	B1	2/2001	Fogard	6,582,466	B1	6/2003	Gauchet
6,187,005	B1	2/2001	Brace et al.	6,585,740	B2	7/2003	Schlapfer et al.
6,189,422	B1	2/2001	Stihl	6,595,992	B1	7/2003	Wagner et al.
6,193,720	B1	2/2001	Yuan et al.	6,595,993	B2	7/2003	Donno et al.
6,214,012	B1	4/2001	Karpman et al.	6,599,294	B2	7/2003	Fuss et al.
RE37,161	E	5/2001	Michelson et al.	6,602,255	B1	8/2003	Campbell et al.
6,224,596	B1	5/2001	Jackson	6,610,063	B2	8/2003	Kumar et al.
6,224,598	B1	5/2001	Jackson	6,613,050	B1	9/2003	Wagner et al.
6,235,028	B1	5/2001	Brumfield et al.	6,616,667	B1	9/2003	Steiger et al.
6,235,034	B1	5/2001	Bray	6,616,669	B2	9/2003	Ogilvie
				6,623,484	B2	9/2003	Betz
				6,623,485	B2	9/2003	Doubler et al.
				6,626,347	B2	9/2003	Ng
				6,626,907	B2	9/2003	Campbell et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,626,908	B2	9/2003	Cooper et al.	6,964,664	B2	11/2005	Freid et al.
6,635,059	B2	10/2003	Randall et al.	6,964,665	B2	11/2005	Thomas et al.
6,635,060	B2	10/2003	Hanson et al.	6,964,667	B2	11/2005	Shaolian et al.
6,648,885	B1	11/2003	Friesem	6,966,910	B2	11/2005	Ritland
6,648,887	B2	11/2003	Ashman	6,974,460	B2	12/2005	Carbone et al.
6,648,888	B1 *	11/2003	Shluzas	6,979,334	B2	12/2005	Dalton
6,652,526	B1	11/2003	Arafiles	6,981,973	B2	1/2006	McKinley
6,652,765	B1	11/2003	Beaty	6,986,771	B2	1/2006	Paul et al.
6,656,179	B1	12/2003	Schaefer et al.	6,989,011	B2	1/2006	Paul et al.
6,656,181	B2	12/2003	Dixon et al.	6,991,632	B2	1/2006	Ritland
6,660,004	B2	12/2003	Barker et al.	7,004,947	B2	2/2006	Shluzas et al.
6,660,006	B2	12/2003	Markworth et al.	RE39,035	E	3/2006	Finn et al.
6,663,632	B1	12/2003	Frigg	7,008,422	B2	3/2006	Foley et al.
6,663,635	B2	12/2003	Frigg et al.	7,008,424	B2	3/2006	Teitelbaum
6,673,073	B1	1/2004	Schafer	7,011,660	B2	3/2006	Sherman et al.
6,676,661	B1	1/2004	Martin Benlloch et al.	7,018,378	B2	3/2006	Biedermann et al.
6,679,833	B2	1/2004	Smith et al.	7,018,379	B2	3/2006	Drewry et al.
6,682,529	B2	1/2004	Stahurski	7,022,122	B2	4/2006	Amrein et al.
6,682,530	B2	1/2004	Dixon et al.	7,029,475	B2	4/2006	Panjabi
6,689,133	B2	2/2004	Morrison et al.	RE39,089	E	5/2006	Ralph et al.
6,689,134	B2	2/2004	Ralph et al.	7,052,497	B2	5/2006	Sherman et al.
6,695,843	B2	2/2004	Biedermann et al.	7,056,321	B2	6/2006	Pagliuca et al.
6,695,851	B2	2/2004	Zdeblick et al.	7,066,062	B2	6/2006	Flesher
6,699,248	B2	3/2004	Jackson	7,066,937	B2	6/2006	Shluzas
6,699,249	B2	3/2004	Schlapfer et al.	7,081,116	B1	7/2006	Carly
6,706,045	B2	3/2004	Lin et al.	7,083,621	B2	8/2006	Shaolian et al.
6,712,818	B1	3/2004	Michelson	7,087,057	B2	8/2006	Konieczynski et al.
6,716,213	B2	4/2004	Shitoto	7,090,674	B2	8/2006	Doubler et al.
6,716,214	B1	4/2004	Jackson	7,090,679	B2	8/2006	Saint-Martin et al.
6,716,247	B2	4/2004	Michelson	7,090,680	B2	8/2006	Bonati et al.
6,723,100	B2	4/2004	Biedermann et al.	7,094,242	B2	8/2006	Ralph et al.
6,726,687	B2	4/2004	Jackson	7,118,576	B2	10/2006	Gitis et al.
6,730,093	B2	5/2004	Saint Martin	7,121,755	B2	10/2006	Schlapfer et al.
6,730,127	B2	5/2004	Michelson	7,125,410	B2	10/2006	Freudiger
6,733,502	B2	5/2004	Altarac et al.	7,125,426	B2	10/2006	Moumene et al.
6,736,816	B2	5/2004	Ritland	7,128,743	B2	10/2006	Metz-Stavenhagen
6,736,820	B2	5/2004	Biedermann et al.	7,137,985	B2	11/2006	Jahng
6,740,086	B2	5/2004	Richelsoph	7,141,051	B2	11/2006	Janowski et al.
6,740,089	B2	5/2004	Haider	7,144,396	B2	12/2006	Shluzas
6,743,231	B1	6/2004	Gray	7,160,300	B2 *	1/2007	Jackson
6,746,449	B2	6/2004	Jones et al.	7,163,538	B2	1/2007	Altarac et al.
6,746,454	B2	6/2004	Winterbottom et al.	7,163,539	B2	1/2007	Abdelgany et al.
6,755,829	B1	6/2004	Bono et al.	7,166,108	B2	1/2007	Mazda et al.
6,755,835	B2	6/2004	Schultheiss et al.	7,179,261	B2 *	2/2007	Sicvol et al.
6,755,836	B1	6/2004	Lewis	7,186,255	B2	3/2007	Baynham et al.
6,761,719	B2	7/2004	Justis et al.	7,188,626	B2	3/2007	Foley et al.
6,761,723	B2	7/2004	Butterman et al.	7,207,991	B2	4/2007	Michelson
6,767,351	B2	7/2004	Orbay et al.	7,207,992	B2	4/2007	Ritland
6,770,075	B2	8/2004	Howland	7,211,085	B2	5/2007	Michelson
6,778,861	B1	8/2004	Liebrecht et al.	7,211,086	B2	5/2007	Biedermann et al.
6,780,186	B2	8/2004	Errico et al.	7,211,087	B2	5/2007	Young
6,783,527	B2	8/2004	Drewry et al.	7,214,227	B2	5/2007	Colleran et al.
6,790,208	B2	9/2004	Oribe et al.	7,223,268	B2	5/2007	Biedermann
6,790,209	B2	9/2004	Beale et al.	7,229,441	B2	6/2007	Trieu et al.
6,802,844	B2	10/2004	Ferree	7,250,052	B2	7/2007	Landry et al.
6,827,719	B2	12/2004	Ralph et al.	7,264,621	B2	9/2007	Coates et al.
6,830,571	B2	12/2004	Lenke et al.	7,270,665	B2	9/2007	Morrison et al.
6,835,196	B2	12/2004	Biedermann et al.	7,282,064	B2	10/2007	Chin
6,835,205	B2	12/2004	Atkinson et al.	7,290,347	B2	11/2007	Augustino
6,837,889	B2	1/2005	Shluzas	7,291,151	B2	11/2007	Alvarez
6,840,940	B2	1/2005	Ralph et al.	7,291,153	B2	11/2007	Glascott
6,843,791	B2	1/2005	Serhan	7,294,128	B2	11/2007	Alleyne et al.
6,857,343	B1	2/2005	Easterbrooks et al.	7,294,129	B2	11/2007	Hawkins et al.
6,858,031	B2	2/2005	Morrison et al.	7,306,603	B2	12/2007	Boehm et al.
6,869,432	B2	3/2005	Schlapfer et al.	7,306,604	B2	12/2007	Carli
6,869,433	B2	3/2005	Glascott	7,306,606	B2	12/2007	Sasing
6,872,208	B1	3/2005	McBride et al.	7,314,467	B2	1/2008	Howland
6,896,676	B2	5/2005	Zubok et al.	7,316,684	B1	1/2008	Baccelli et al.
6,896,677	B1	5/2005	Lin	7,322,979	B2	1/2008	Crandall et al.
6,932,817	B2	8/2005	Baynham et al.	7,329,258	B2	2/2008	Studer
6,932,820	B2	8/2005	Osman	7,335,201	B2	2/2008	Doubler et al.
6,945,972	B2	9/2005	Frigg et al.	7,335,202	B2	2/2008	Matthis et al.
6,953,462	B2	10/2005	Liebermann	7,338,490	B2	3/2008	Ogilvie et al.
6,955,677	B2	10/2005	Dahners	7,338,491	B2	3/2008	Baker et al.
6,958,065	B2	10/2005	Ueyama et al.	7,361,196	B2	4/2008	Fallin et al.
				7,377,921	B2	5/2008	Studer et al.
				7,377,922	B2	5/2008	Barker
				7,445,627	B2	11/2008	Hawkes et al.
				7,465,306	B2	12/2008	Pond

(56)

References Cited

U.S. PATENT DOCUMENTS

7,470,279	B2	12/2008	Jackson	7,704,271	B2	4/2010	Abdou	
7,476,228	B2	1/2009	Abdou	7,713,288	B2	5/2010	Timm et al.	
7,476,238	B2	1/2009	Panjabi	7,717,941	B2	5/2010	Petit	
7,479,156	B2	1/2009	Lourdel et al.	7,717,942	B2	5/2010	Schumacher	
7,491,208	B2	2/2009	Pond, Jr. et al.	7,717,943	B2	5/2010	Kirschman	
7,491,218	B2	2/2009	Landry et al.	7,722,646	B2	5/2010	Ralph et al.	
7,491,221	B2	2/2009	David	7,722,649	B2	5/2010	Biedermann et al.	
7,503,918	B2	3/2009	Baccelli et al.	7,722,651	B2	5/2010	Kwak et al.	
7,503,924	B2	3/2009	Lee et al.	7,722,652	B2	5/2010	Justis et al.	
7,524,323	B2	4/2009	Malandain	7,722,654	B2	5/2010	Taylor et al.	
7,527,638	B2	5/2009	Anderson et al.	7,727,260	B2	6/2010	Albert et al.	
7,527,640	B2	5/2009	Ziolo et al.	7,727,261	B2	6/2010	Barker et al.	
7,530,992	B2	5/2009	Biedermann et al.	7,731,736	B2	6/2010	Guenther et al.	
7,556,639	B2	7/2009	Rothman et al.	7,731,749	B2	6/2010	Biedermann et al.	
7,559,942	B2	7/2009	Paul et al.	7,749,233	B2	7/2010	Farr	
7,559,943	B2	7/2009	Mjuwid	7,749,258	B2	7/2010	Biedermann et al.	
7,563,264	B2	7/2009	Landry et al.	7,758,618	B2	7/2010	Walder et al.	
7,563,274	B2	7/2009	Justis et al.	7,763,052	B2	7/2010	Jahng	
7,563,275	B2	7/2009	Falahee et al.	7,763,057	B2	7/2010	Abdelgany et al.	
7,563,283	B2	7/2009	Kwak	7,766,915	B2	8/2010	Jackson	
7,569,061	B2	8/2009	Colleran	7,766,943	B1	8/2010	Fallin et al.	
7,572,279	B2	8/2009	Jackson	7,766,944	B2	8/2010	Metz-Stavenhagen	
7,572,280	B2	8/2009	Dickinson et al.	7,766,945	B2	8/2010	Nilsson et al.	
7,575,587	B2	8/2009	Rezach et al.	7,766,946	B2	8/2010	Bailly	
7,588,575	B2	9/2009	Colleran et al.	7,776,067	B2	8/2010	Jackson	
7,588,588	B2	9/2009	Spitler et al.	7,780,706	B2	8/2010	Marino et al.	
7,588,589	B2	9/2009	Falahee	7,785,351	B2	8/2010	Gordon et al.	
7,588,593	B2	9/2009	Aferze	7,785,354	B2	8/2010	Biedermann et al.	
7,591,839	B2	9/2009	Biedermann et al.	7,789,900	B2	9/2010	Levy et al.	
7,601,166	B2	10/2009	Biedermann et al.	7,794,477	B2	9/2010	Melkent et al.	
7,601,171	B2	10/2009	Ainsworth	7,794,480	B2	9/2010	Gordon et al.	
7,604,653	B2	10/2009	Kitchen	7,806,913	B2	10/2010	Fanger et al.	
7,604,654	B2	10/2009	Fallin et al.	7,811,288	B2	10/2010	Jones et al.	
7,604,655	B2	10/2009	Warnick	7,811,310	B2	10/2010	Baker et al.	
7,604,656	B2	10/2009	Shluzas	7,815,665	B2	10/2010	Jahng et al.	
7,611,518	B2	11/2009	Walder et al.	7,819,902	B2	10/2010	Abdelgany et al.	
7,615,068	B2	11/2009	Timm et al.	7,824,430	B2	11/2010	Allard et al.	
7,618,442	B2	11/2009	Spitler et al.	7,833,250	B2	11/2010	Jackson	
7,618,443	B2	11/2009	Abdou	7,833,252	B2	11/2010	Justis et al.	
7,621,912	B2	11/2009	Harms et al.	7,846,190	B2	12/2010	Ball	
7,621,918	B2	11/2009	Jackson	7,850,715	B2	12/2010	Banouskou et al.	
7,621,940	B2	11/2009	Harms et al.	7,862,587	B2	1/2011	Jackson	
7,621,941	B2	11/2009	Schlapfer et al.	7,862,588	B2	1/2011	Abdou	
7,625,393	B2	12/2009	Fallin et al.	7,887,539	B2	2/2011	Dunbar, Jr. et al.	
7,625,394	B2	12/2009	Molz, IV et al.	7,896,902	B2	3/2011	Jeon et al.	
7,632,292	B2	12/2009	Sengupta et al.	7,901,436	B2	3/2011	Baccelli	
7,641,673	B2	1/2010	LeCouedic et al.	7,901,437	B2	3/2011	Jackson	
7,641,674	B2	1/2010	Young	7,909,830	B2	3/2011	Frigg	
7,645,294	B2	1/2010	Kalfas et al.	7,947,064	B2	5/2011	Bergeron et al.	
7,648,522	B2	1/2010	David	7,951,170	B2	5/2011	Jackson	
7,651,502	B2	1/2010	Jackson	7,955,358	B2	6/2011	Albert	
7,651,515	B2	1/2010	Mack et al.	7,967,848	B2	6/2011	Abdelgany	
7,655,026	B2	2/2010	Justis et al.	7,988,694	B2	8/2011	Barrus et al.	
7,658,739	B2	2/2010	Shluzas	8,034,083	B2	10/2011	Abdelgany et al.	
7,658,752	B2	2/2010	Labrom et al.	8,055,487	B2	11/2011	James	
7,666,188	B2	2/2010	Anderson	8,062,340	B2	11/2011	Berrevoets et al.	
7,674,277	B2	3/2010	Burd et al.	8,066,739	B2	11/2011	Jackson	
7,678,136	B2	3/2010	Doubler et al.	8,075,599	B2	12/2011	Johnson et al.	
7,678,139	B2	3/2010	Garamszegi et al.	8,083,776	B2	12/2011	Alvarez	
7,682,375	B2	3/2010	Ritland	8,100,915	B2 *	1/2012	Jackson	606/86 A
7,682,377	B2	3/2010	Koniczynski et al.	8,152,837	B2	4/2012	Altarac et al.	
7,686,833	B1	3/2010	Muhanna et al.	8,162,948	B2 *	4/2012	Jackson	606/86 A
7,686,834	B2	3/2010	Saint Martin	8,172,876	B2	5/2012	Janowski et al.	
7,686,835	B2	3/2010	Warnick	8,197,517	B1	6/2012	Lab et al.	
7,691,129	B2	4/2010	Felix	8,211,110	B1	7/2012	Corin et al.	
7,691,131	B2	4/2010	Graf	8,226,690	B2	7/2012	Altarac et al.	
7,691,132	B2	4/2010	Landry et al.	8,267,969	B2	9/2012	Altarac et al.	
7,695,475	B2	4/2010	Justis et al.	8,377,067	B2 *	2/2013	Jackson	606/86 A
7,695,496	B2	4/2010	Labrom et al.	2001/0001119	A1	5/2001	Lombardo	
7,695,497	B2	4/2010	Cordaro et al.	2001/0007941	A1	7/2001	Steiner et al.	
7,695,498	B2	4/2010	Ritland	2001/0010000	A1	7/2001	Gertzbein	
7,695,514	B2	4/2010	Kwak	2001/0012937	A1	8/2001	Schaffler et al.	
7,699,872	B2	4/2010	Farris et al.	2001/0023350	A1	9/2001	Choi	
7,699,875	B2	4/2010	Timm	2001/0025553	A1	10/2001	Oesterle et al.	
7,699,876	B2	4/2010	Barry et al.	2001/0027318	A1	10/2001	Oribe et al.	
				2001/0029375	A1	10/2001	Betz	
				2001/0037111	A1	11/2001	Dixon et al.	
				2001/0041894	A1	11/2001	Campbell et al.	
				2001/0047173	A1	11/2001	Schlapfer et al.	

(56)

References Cited

U.S. PATENT DOCUMENTS

2001/0047174	A1	11/2001	Donno et al.	2003/0130661	A1	7/2003	Osman
2001/0047175	A1	11/2001	Doubler et al.	2003/0135210	A1	7/2003	Dixon et al.
2002/0004683	A1	1/2002	Michelson	2003/0135217	A1	7/2003	Butterman et al.
2002/0007184	A1	1/2002	Ogilvie et al.	2003/0149432	A1	8/2003	Frigg et al.
2002/0010467	A1	1/2002	Cooper et al.	2003/0150897	A1	8/2003	Ng
2002/0013586	A1	1/2002	Justis et al.	2003/0153911	A1	8/2003	Shluzas
2002/0016594	A1	2/2002	Schlapfer et al.	2003/0153912	A1	8/2003	Graf
2002/0022764	A1	2/2002	Smith et al.	2003/0153920	A1	8/2003	Ralph et al.
2002/0022842	A1	2/2002	Horvath et al.	2003/0163133	A1	8/2003	Altarac et al.
2002/0029040	A1	3/2002	Morrison et al.	2003/0167058	A1	9/2003	Shluzas
2002/0035365	A1	3/2002	Kumar et al.	2003/0171749	A1	9/2003	Le Couedic et al.
2002/0035366	A1	3/2002	Walder et al.	2003/0176862	A1	9/2003	Taylor et al.
2002/0035367	A1	3/2002	Ritland	2003/0176863	A1	9/2003	Ueyama et al.
2002/0045898	A1	4/2002	Freid et al.	2003/0181913	A1	9/2003	Liebermann
2002/0045899	A1	4/2002	Errico et al.	2003/0191469	A1	10/2003	Ralph et al.
2002/0045904	A1	4/2002	Fuss et al.	2003/0191470	A1	10/2003	Ritland
2002/0049446	A1	4/2002	Harkey, III et al.	2003/0199872	A1	10/2003	Markworth et al.
2002/0055740	A1	5/2002	Liebermann	2003/0199873	A1	10/2003	Michelson
2002/0055741	A1	5/2002	Schlapfer et al.	2003/0199874	A1	10/2003	Michelson
2002/0058942	A1	5/2002	Biedermann et al.	2003/0208203	A1	11/2003	Lim et al.
2002/0058950	A1	5/2002	Winterbottom et al.	2003/0208204	A1	11/2003	Bailey et al.
2002/0068941	A1	6/2002	Hanson et al.	2003/0208275	A1	11/2003	Michelson
2002/0068975	A1	6/2002	Teitelbaum et al.	2003/0212398	A1	11/2003	Jackson
2002/0072751	A1	6/2002	Jackson	2003/0216735	A1	11/2003	Altarac et al.
2002/0077701	A1	6/2002	Kuslich	2003/0216748	A1	11/2003	Gitis et al.
2002/0082602	A1	6/2002	Biedermann et al.	2003/0220642	A1	11/2003	Fruediger
2002/0082603	A1	6/2002	Dixon et al.	2003/0220643	A1	11/2003	Ferree
2002/0087159	A1	7/2002	Thomas et al.	2003/0225408	A1	12/2003	Nichols et al.
2002/0087161	A1	7/2002	Randall et al.	2003/0229345	A1	12/2003	Stahurski
2002/0091386	A1	7/2002	Martin et al.	2003/0229347	A1	12/2003	Sherman et al.
2002/0091390	A1	7/2002	Michelson	2003/0236529	A1	12/2003	Shluzas
2002/0095153	A1	7/2002	Jones et al.	2004/0002708	A1	1/2004	Ritland
2002/0103487	A1	8/2002	Errico et al.	2004/0006342	A1	1/2004	Altarac et al.
2002/0111626	A1	8/2002	Ralph et al.	2004/0034351	A1	2/2004	Sherman et al.
2002/0111628	A1	8/2002	Ralph et al.	2004/0039384	A1	2/2004	Boehm et al.
2002/0116001	A1	8/2002	Schaefer et al.	2004/0039385	A1	2/2004	Mazda et al.
2002/0120270	A1	8/2002	Trieu et al.	2004/0044335	A1	3/2004	de la Torre et al.
2002/0123752	A1	9/2002	Schultheiss et al.	2004/0049189	A1	3/2004	Le Couedic et al.
2002/0133154	A1	9/2002	Saint Martin	2004/0049190	A1	3/2004	Biedermann et al.
2002/0133158	A1	9/2002	Saint Martin	2004/0073215	A1	4/2004	Carli
2002/0133159	A1	9/2002	Jackson	2004/0073218	A1	4/2004	Dahners
2002/0138076	A1	9/2002	Biedermann et al.	2004/0078051	A1	4/2004	Davison et al.
2002/0138077	A1	9/2002	Ferree	2004/0078082	A1	4/2004	Lange
2002/0143330	A1	10/2002	Shluzas	2004/0087949	A1	5/2004	Bono et al.
2002/0143332	A1	10/2002	Lin et al.	2004/0087950	A1	5/2004	Teitelbaum
2002/0143338	A1	10/2002	Orbay et al.	2004/0087952	A1	5/2004	Borgstrom et al.
2002/0143341	A1	10/2002	Biedermann et al.	2004/0092934	A1	5/2004	Howland
2002/0161368	A1	10/2002	Foley et al.	2004/0092938	A1	5/2004	Carli
2002/0161370	A1	10/2002	Frigg et al.	2004/0097933	A1	5/2004	Lourd et al.
2002/0173789	A1	11/2002	Howland	2004/0106925	A1	6/2004	Culbert
2002/0173791	A1	11/2002	Howland	2004/0111091	A1	6/2004	Ogilvie et al.
2002/0193795	A1	12/2002	Gertzbein et al.	2004/0116929	A1	6/2004	Barker et al.
2002/0198526	A1	12/2002	Shaolian et al.	2004/0122442	A1	6/2004	Lewis
2003/0004519	A1	1/2003	Torode et al.	2004/0133207	A1	7/2004	Abdou
2003/0023240	A1	1/2003	Amrein et al.	2004/0138662	A1	7/2004	Landry et al.
2003/0023243	A1	1/2003	Biedermann et al.	2004/0143265	A1	7/2004	Landry et al.
2003/0055426	A1	3/2003	Carbone et al.	2004/0147928	A1	7/2004	Landry et al.
2003/0060826	A1	3/2003	Foley et al.	2004/0147929	A1	7/2004	Biedermann et al.
2003/0073996	A1	4/2003	Doubler et al.	2004/0147937	A1	7/2004	Dunbar, Jr. et al.
2003/0073998	A1	4/2003	Pagliuca et al.	2004/0158245	A1	8/2004	Chin
2003/0078580	A1	4/2003	Shitoto	2004/0158247	A1	8/2004	Sitiso et al.
2003/0083657	A1	5/2003	Drewry et al.	2004/0158258	A1	8/2004	Bonati et al.
2003/0083667	A1	5/2003	Ralph et al.	2004/0162560	A1	8/2004	Raynor et al.
2003/0093077	A1	5/2003	Schlapfer et al.	2004/0172022	A1	9/2004	Landry et al.
2003/0093078	A1	5/2003	Ritland	2004/0172025	A1	9/2004	Drewry et al.
2003/0100896	A1	5/2003	Biedermann et al.	2004/0172031	A1	9/2004	Rubecamp et al.
2003/0100897	A1	5/2003	Metz-Stavenhagen	2004/0176766	A1	9/2004	Shluzas
2003/0100904	A1	5/2003	Biedermann	2004/0176774	A1	9/2004	Zubok et al.
2003/0105460	A1	6/2003	Crandall et al.	2004/0186473	A1	9/2004	Cournoyer et al.
2003/0109880	A1	6/2003	Shirado et al.	2004/0186474	A1	9/2004	Matthis et al.
2003/0114852	A1	6/2003	Biedermann et al.	2004/0186475	A1	9/2004	Falahee
2003/0120275	A1	6/2003	Lenke et al.	2004/0210216	A1	10/2004	Farris et al.
2003/0125741	A1	7/2003	Biedermann et al.	2004/0215190	A1	10/2004	Nguyen et al.
2003/0125749	A1	7/2003	Yuan et al.	2004/0215191	A1	10/2004	Kitchen
2003/0130659	A1	7/2003	Haider	2004/0220567	A1	11/2004	Eisermann
				2004/0220671	A1	11/2004	Ralph et al.
				2004/0225289	A1	11/2004	Biedermann et al.
				2004/0230100	A1	11/2004	Shluzas
				2004/0236327	A1	11/2004	Paul et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0236328	A1	11/2004	Paul et al.	2005/0203518	A1	9/2005	Beidermann et al.
2004/0236329	A1	11/2004	Panjabi	2005/0203519	A1	9/2005	Harms et al.
2004/0236330	A1	11/2004	Purcell et al.	2005/0215999	A1	9/2005	Birkmeyer et al.
2004/0249378	A1	12/2004	Saint Martin et al.	2005/0216000	A1	9/2005	Colleran et al.
2004/0249380	A1	12/2004	Glascott	2005/0216001	A1	9/2005	David
2004/0254574	A1	12/2004	Morrison et al.	2005/0216003	A1	9/2005	Biedermann et al.
2004/0267260	A1	12/2004	Mack et al.	2005/0228326	A1	10/2005	Kalfas et al.
2004/0267264	A1	12/2004	Konieczynski et al.	2005/0228385	A1	10/2005	Lee et al.
2005/0010219	A1	1/2005	Dalton	2005/0228400	A1	10/2005	Chao
2005/0027296	A1	2/2005	Thramann et al.	2005/0228501	A1	10/2005	Miller et al.
2005/0033298	A1	2/2005	Hawkes et al.	2005/0234450	A1	10/2005	Barker
2005/0033436	A1	2/2005	Schlapfer et al.	2005/0234451	A1	10/2005	Markworth
2005/0033439	A1	2/2005	Gordon et al.	2005/0234452	A1	10/2005	Malandain
2005/0038430	A1	2/2005	McKinley	2005/0234453	A1	10/2005	Shaolian et al.
2005/0038432	A1	2/2005	Shaolian et al.	2005/0234454	A1	10/2005	Chin
2005/0038433	A1	2/2005	Young	2005/0234456	A1	10/2005	Malandain
2005/0049708	A1	3/2005	Atkinson et al.	2005/0234459	A1	10/2005	Falahee et al.
2005/0055026	A1	3/2005	Biedermann et al.	2005/0240181	A1	10/2005	Boomer et al.
2005/0065514	A1	3/2005	Studer	2005/0240183	A1	10/2005	Vaughan
2005/0065515	A1	3/2005	Jahng	2005/0245930	A1	11/2005	Timm et al.
2005/0065516	A1	3/2005	Jahng	2005/0251137	A1	11/2005	Ball
2005/0065517	A1	3/2005	Chin	2005/0251139	A1	11/2005	Roh
2005/0070899	A1	3/2005	Doubler et al.	2005/0251140	A1	11/2005	Shaolian et al.
2005/0070901	A1	3/2005	David	2005/0251141	A1	11/2005	Frigg et al.
2005/0080415	A1	4/2005	Keyer et al.	2005/0260058	A1	11/2005	Casagne, III
2005/0085812	A1	4/2005	Sherman	2005/0261685	A1	11/2005	Fortin et al.
2005/0085813	A1	4/2005	Spitler et al.	2005/0261687	A1	11/2005	Garamszegi et al.
2005/0085815	A1	4/2005	Harms et al.	2005/0267470	A1	12/2005	McBride
2005/0085816	A1	4/2005	Michelson	2005/0267471	A1	12/2005	Biedermann et al.
2005/0096652	A1	5/2005	Burton	2005/0267472	A1	12/2005	Biedermann et al.
2005/0096653	A1	5/2005	Doubler et al.	2005/0267474	A1	12/2005	Dalton
2005/0096654	A1	5/2005	Lin	2005/0267477	A1	12/2005	Jackson
2005/0107788	A1	5/2005	Beaurain et al.	2005/0273099	A1	12/2005	Baccelli et al.
2005/0113927	A1	5/2005	Malek	2005/0273101	A1	12/2005	Schumacher
2005/0119658	A1	6/2005	Ralph et al.	2005/0277919	A1	12/2005	Slivka et al.
2005/0124991	A1	6/2005	Jahng	2005/0277922	A1	12/2005	Trieu et al.
2005/0131404	A1	6/2005	Mazda et al.	2005/0277923	A1	12/2005	Sweeney
2005/0131405	A1	6/2005	Molz, IV et al.	2005/0277925	A1	12/2005	Mujwid
2005/0131406	A1	6/2005	Reiley et al.	2005/0277927	A1	12/2005	Guenther et al.
2005/0131407	A1	6/2005	Sicvol et al.	2005/0277928	A1	12/2005	Boschert
2005/0131408	A1	6/2005	Sicvol et al.	2005/0277931	A1	12/2005	Sweeney et al.
2005/0131413	A1	6/2005	O'Driscoll et al.	2005/0277934	A1	12/2005	Vardiman
2005/0131419	A1	6/2005	McCord et al.	2005/0278023	A1	12/2005	Zwirkowski
2005/0137593	A1	6/2005	Gray et al.	2005/0283152	A1	12/2005	Lindemann et al.
2005/0137594	A1	6/2005	Doubler et al.	2005/0283157	A1	12/2005	Coates et al.
2005/0137597	A1	6/2005	Butler et al.	2005/0283238	A1	12/2005	Reiley
2005/0141986	A1	6/2005	Flesher	2005/0283244	A1	12/2005	Gordon et al.
2005/0143737	A1	6/2005	Pafford et al.	2005/0288669	A1	12/2005	Abdou
2005/0143823	A1	6/2005	Boyd et al.	2005/0288670	A1	12/2005	Panjabi et al.
2005/0149020	A1	7/2005	Jahng	2005/0288671	A1	12/2005	Yuan et al.
2005/0149023	A1	7/2005	Ritland	2005/0288672	A1	12/2005	Ferree
2005/0149053	A1	7/2005	Variieur	2005/0288673	A1	12/2005	Catbagan et al.
2005/0154389	A1	7/2005	Selover et al.	2006/0004357	A1	1/2006	Lee et al.
2005/0154390	A1	7/2005	Biedermann et al.	2006/0004359	A1	1/2006	Kramer et al.
2005/0154391	A1	7/2005	Doherty et al.	2006/0004360	A1	1/2006	Kramer et al.
2005/0159750	A1	7/2005	Doherty	2006/0004363	A1	1/2006	Brockmeyer et al.
2005/0165400	A1	7/2005	Fernandez	2006/0009767	A1	1/2006	Kiester
2005/0171540	A1	8/2005	Lim et al.	2006/0009768	A1	1/2006	Ritland
2005/0171542	A1	8/2005	Biedermann et al.	2006/0009769	A1	1/2006	Liebermann
2005/0171543	A1	8/2005	Timm et al.	2006/0009770	A1	1/2006	Speirs et al.
2005/0177154	A1	8/2005	Moumene et al.	2006/0009775	A1	1/2006	Dec et al.
2005/0177157	A1	8/2005	Jahng	2006/0009780	A1	1/2006	Foley et al.
2005/0177166	A1	8/2005	Timm et al.	2006/0009846	A1	1/2006	Trieu et al.
2005/0182401	A1	8/2005	Timm et al.	2006/0015099	A1	1/2006	Cannon et al.
2005/0182410	A1	8/2005	Jackson	2006/0015104	A1	1/2006	Dalton
2005/0187548	A1	8/2005	Butler et al.	2006/0025767	A1	2/2006	Khalili
2005/0187555	A1	8/2005	Beidermann et al.	2006/0025768	A1	2/2006	Iott et al.
2005/0192571	A1	9/2005	Abdelgany	2006/0025770	A1	2/2006	Schlapfer et al.
2005/0192580	A1	9/2005	Dalton	2006/0030850	A1	2/2006	Keegan et al.
2005/0192589	A1	9/2005	Raymond	2006/0036240	A1	2/2006	Colleran
2005/0203511	A1	9/2005	Wilson-MacDonald et al.	2006/0036242	A1	2/2006	Nilsson et al.
2005/0203513	A1	9/2005	Jahng et al.	2006/0036244	A1	2/2006	Spitler et al.
2005/0203514	A1	9/2005	Jahng et al.	2006/0036246	A1	2/2006	Carl et al.
2005/0203516	A1	9/2005	Biedermann et al.	2006/0036252	A1	2/2006	Baynham et al.
2005/0203517	A1	9/2005	Jahng et al.	2006/0036254	A1	2/2006	Lim
				2006/0036255	A1	2/2006	Pond
				2006/0036256	A1	2/2006	Carl et al.
				2006/0036259	A1	2/2006	Carl et al.
				2006/0036260	A1	2/2006	Runco et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0036323	A1	2/2006	Carl et al.	2006/0195093	A1	8/2006	Jahng
2006/0036324	A1	2/2006	Sachs et al.	2006/0195098	A1	8/2006	Schumacher
2006/0041259	A1	2/2006	Paul et al.	2006/0200023	A1	9/2006	Melkent et al.
2006/0052780	A1	3/2006	Errico et al.	2006/0200128	A1	9/2006	Mueller
2006/0052783	A1	3/2006	Dant et al.	2006/0200130	A1	9/2006	Hawkins
2006/0052784	A1	3/2006	Dant et al.	2006/0200131	A1	9/2006	Chao et al.
2006/0052786	A1	3/2006	Dant et al.	2006/0200132	A1	9/2006	Chao et al.
2006/0058788	A1	3/2006	Hammer et al.	2006/0200135	A1	9/2006	Sherman et al.
2006/0058790	A1	3/2006	Carl et al.	2006/0200138	A1	9/2006	Michelson
2006/0064090	A1	3/2006	Park	2006/0200139	A1	9/2006	Michelson
2006/0064091	A1	3/2006	Ludwig et al.	2006/0200149	A1	9/2006	Hoy et al.
2006/0064092	A1	3/2006	Howland	2006/0210494	A1	9/2006	Rabiei et al.
2006/0069390	A1	3/2006	Frigg	2006/0212033	A1	9/2006	Rothman
2006/0074419	A1	4/2006	Taylor et al.	2006/0212034	A1	9/2006	Triplett et al.
2006/0079894	A1	4/2006	Colleran et al.	2006/0217713	A1	9/2006	Serhan et al.
2006/0079895	A1	4/2006	McLeer	2006/0217714	A1	9/2006	Serhan et al.
2006/0079896	A1	4/2006	Kwak	2006/0217716	A1	9/2006	Baker et al.
2006/0079898	A1	4/2006	Ainsworth	2006/0217719	A1	9/2006	Albert et al.
2006/0079899	A1	4/2006	Ritland	2006/0229608	A1	10/2006	Foster
2006/0084977	A1	4/2006	Liebermann	2006/0229609	A1	10/2006	Wang
2006/0084980	A1	4/2006	Melkent et al.	2006/0229612	A1	10/2006	Rothman
2006/0084981	A1	4/2006	Shluzas	2006/0229613	A1	10/2006	Timm
2006/0084982	A1	4/2006	Kim	2006/0229614	A1	10/2006	Foley et al.
2006/0084983	A1	4/2006	Kim	2006/0229615	A1	10/2006	Abdou
2006/0084984	A1	4/2006	Kim	2006/0235389	A1	10/2006	Albert et al.
2006/0084985	A1	4/2006	Kim	2006/0235392	A1	10/2006	Hammer et al.
2006/0084987	A1	4/2006	Kim	2006/0235393	A1	10/2006	Bono et al.
2006/0084988	A1	4/2006	Kim	2006/0241593	A1	10/2006	Sherman et al.
2006/0084989	A1	4/2006	Dickinson et al.	2006/0241595	A1	10/2006	Molz, IV et al.
2006/0084991	A1	4/2006	Borgstrom	2006/0241599	A1	10/2006	Konieczynski et al.
2006/0084993	A1	4/2006	Landry et al.	2006/0241600	A1	10/2006	Ensign et al.
2006/0084995	A1	4/2006	Biedermann et al.	2006/0241601	A1	10/2006	Trautwein et al.
2006/0085069	A1	4/2006	Kim	2006/0241769	A1	10/2006	Gordon
2006/0085070	A1	4/2006	Kim	2006/0241771	A1	10/2006	Gordon
2006/0089643	A1	4/2006	Mujwid	2006/0247624	A1	11/2006	Banouskou et al.
2006/0089644	A1	4/2006	Felix	2006/0247630	A1	11/2006	Iott et al.
2006/0089645	A1	4/2006	Eckman	2006/0247631	A1	11/2006	Ahn et al.
2006/0095035	A1	5/2006	Jones et al.	2006/0247632	A1	11/2006	Winslow
2006/0095037	A1	5/2006	Jones et al.	2006/0247633	A1	11/2006	Winslow
2006/0106380	A1	5/2006	Colleran et al.	2006/0247635	A1	11/2006	Gordon
2006/0106381	A1	5/2006	Ferree	2006/0247636	A1	11/2006	Yuan et al.
2006/0106383	A1	5/2006	Biedermann et al.	2006/0247637	A1	11/2006	Colleran
2006/0106394	A1	5/2006	Colleran	2006/0247658	A1	11/2006	Pond, Jr. et al.
2006/0111714	A1	5/2006	Foley	2006/0247779	A1	11/2006	Gordon
2006/0111715	A1	5/2006	Jackson	2006/0264933	A1	11/2006	Baker et al.
2006/0116677	A1	6/2006	Burd et al.	2006/0264934	A1	11/2006	Fallin
2006/0122597	A1	6/2006	Jojnes et al.	2006/0264935	A1	11/2006	White
2006/0122599	A1	6/2006	Drewry	2006/0264936	A1	11/2006	Partin et al.
2006/0129147	A1	6/2006	Biedermann et al.	2006/0264937	A1	11/2006	White
2006/0129149	A1	6/2006	Iott et al.	2006/0264940	A1	11/2006	Hartmann
2006/0129239	A1	6/2006	Kwak	2006/0264942	A1	11/2006	Lim et al.
2006/0142758	A1	6/2006	Petit	2006/0264962	A1	11/2006	Chin et al.
2006/0142760	A1	6/2006	McDonnell	2006/0276787	A1	12/2006	Zubok et al.
2006/0142761	A1	6/2006	Landry et al.	2006/0276789	A1	12/2006	Jackson
2006/0149228	A1	7/2006	Schlapfer	2006/0276791	A1	12/2006	Shluzas
2006/0149229	A1	7/2006	Kwak	2006/0276792	A1	12/2006	Ensign et al.
2006/0149232	A1	7/2006	Sasing	2006/0282074	A1	12/2006	Renaud et al.
2006/0149238	A1	7/2006	Sherman et al.	2006/0282075	A1	12/2006	Labrom
2006/0149241	A1	7/2006	Richelsof et al.	2006/0282076	A1	12/2006	Labrom
2006/0149244	A1	7/2006	Amrein et al.	2006/0282077	A1	12/2006	Labrom
2006/0149251	A1	7/2006	Ziolo et al.	2006/0282078	A1	12/2006	Labrom
2006/0155277	A1	7/2006	Metz-Stavenhagen	2006/0282079	A1	12/2006	Labrom
2006/0155278	A1	7/2006	Warnick	2006/0282080	A1	12/2006	Albert
2006/0161152	A1	7/2006	Ensign et al.	2006/0293657	A1	12/2006	Hartmann
2006/0166535	A1	7/2006	Brumfield et al.	2006/0293659	A1	12/2006	Alvarez
2006/0167454	A1	7/2006	Ludwig et al.	2006/0293663	A1	12/2006	Walkenhorst
2006/0167455	A1	7/2006	Clement et al.	2006/0293665	A1	12/2006	Shluzas
2006/0173454	A1	8/2006	Spitler et al.	2006/0293666	A1	12/2006	Matthis et al.
2006/0173456	A1	8/2006	Hawkes et al.	2006/0293693	A1	12/2006	Farr et al.
2006/0184171	A1	8/2006	Biedermann	2007/0005062	A1	1/2007	Lange
2006/0184180	A1	8/2006	Augustino	2007/0005063	A1	1/2007	Bruneau
2006/0189983	A1	8/2006	Fallin	2007/0005137	A1	1/2007	Kwak
2006/0189984	A1	8/2006	Fallin	2007/0016188	A1	1/2007	Boehm, Jr. et al.
2006/0189985	A1	8/2006	Lewis	2007/0016190	A1	1/2007	Martinez
2006/0195090	A1	8/2006	Suddaby	2007/0016193	A1	1/2007	Ritland
				2007/0016194	A1	1/2007	Shaolian et al.
				2007/0016198	A1	1/2007	Boehm, Jr. et al.
				2007/0016199	A1	1/2007	Boehm, Jr. et al.
				2007/0021750	A1	1/2007	Shluzas et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0032123	A1	2/2007	Timm et al.	2007/0191839	A1	8/2007	Justis et al.
2007/0043355	A1	2/2007	Bette et al.	2007/0191841	A1	8/2007	Justis et al.
2007/0043356	A1	2/2007	Timm	2007/0191846	A1	8/2007	Bruneau et al.
2007/0043357	A1	2/2007	Kirschman	2007/0198014	A1	8/2007	Graf et al.
2007/0043358	A1	2/2007	Molz, IV et al.	2007/0208344	A1	9/2007	Young
2007/0043359	A1	2/2007	Altarac et al.	2007/0213720	A1	9/2007	Gordon et al.
2007/0043364	A1	2/2007	Cawley et al.	2007/0225707	A1	9/2007	Wisniewski et al.
2007/0049931	A1	3/2007	Justis et al.	2007/0225708	A1	9/2007	Biedermann et al.
2007/0049933	A1	3/2007	Ahn et al.	2007/0225710	A1	9/2007	Jahng et al.
2007/0049936	A1	3/2007	Colleran	2007/0225711	A1	9/2007	Ensign
2007/0055235	A1	3/2007	Janowski et al.	2007/0233064	A1	10/2007	Holt
2007/0055236	A1	3/2007	Hudgins	2007/0233073	A1	10/2007	Wisniewski et al.
2007/0055238	A1	3/2007	Biedermann et al.	2007/0233075	A1	10/2007	Dawson
2007/0055239	A1	3/2007	Sweeney et al.	2007/0233078	A1	10/2007	Justis et al.
2007/0055240	A1	3/2007	Matthis et al.	2007/0233080	A1	10/2007	Na et al.
2007/0055241	A1	3/2007	Matthis et al.	2007/0233085	A1	10/2007	Biedermann et al.
2007/0055242	A1	3/2007	Bailly	2007/0233086	A1	10/2007	Harms et al.
2007/0055244	A1	3/2007	Jackson	2007/0233087	A1	10/2007	Schlapfer
2007/0055247	A1	3/2007	Jahng	2007/0233092	A1	10/2007	Falahee
2007/0073289	A1	3/2007	Kwak	2007/0233094	A1	10/2007	Colleran et al.
2007/0073290	A1	3/2007	Boehm, Jr.	2007/0233095	A1	10/2007	Schlaepfer
2007/0073291	A1	3/2007	Cordaro et al.	2007/0233155	A1	10/2007	Lovell
2007/0073293	A1	3/2007	Martz	2007/0244481	A1	10/2007	Timm
2007/0073294	A1	3/2007	Chin et al.	2007/0250061	A1	10/2007	Chin et al.
2007/0073405	A1	3/2007	Verhulst et al.	2007/0260243	A1	11/2007	Kagami
2007/0078460	A1	4/2007	Frigg et al.	2007/0270806	A1	11/2007	Foley et al.
2007/0078461	A1	4/2007	Shluzas	2007/0270807	A1	11/2007	Armstrong et al.
2007/0083199	A1	4/2007	Baccelli	2007/0270810	A1	11/2007	Sanders
2007/0088357	A1	4/2007	Johnson et al.	2007/0270813	A1	11/2007	Garamszegi
2007/0088359	A1	4/2007	Woods et al.	2007/0270814	A1	11/2007	Lim et al.
2007/0093813	A1	4/2007	Callahan, II et al.	2007/0270815	A1	11/2007	Johnson et al.
2007/0093814	A1	4/2007	Callahan, II et al.	2007/0270821	A1	11/2007	Trieu et al.
2007/0093815	A1	4/2007	Callahan, II et al.	2007/0270830	A1	11/2007	Morrison
2007/0093817	A1	4/2007	Barrus et al.	2007/0270831	A1	11/2007	Dewey et al.
2007/0093818	A1	4/2007	Biedermann et al.	2007/0270832	A1	11/2007	Moore
2007/0093819	A1	4/2007	Albert	2007/0270835	A1	11/2007	Wisniewski
2007/0093824	A1	4/2007	Hestad et al.	2007/0270837	A1	11/2007	Eckhardt et al.
2007/0093826	A1	4/2007	Hawkes et al.	2007/0270838	A1	11/2007	Bruneau et al.
2007/0093827	A1	4/2007	Warmick	2007/0270839	A1	11/2007	Jeon et al.
2007/0093828	A1	4/2007	Abdou	2007/0270843	A1	11/2007	Matthis et al.
2007/0093831	A1	4/2007	Abdelgany et al.	2007/0270869	A1	11/2007	Young et al.
2007/0093833	A1	4/2007	Kuiper et al.	2007/0276379	A1	11/2007	Miller et al.
2007/0100341	A1	5/2007	Reglos et al.	2007/0276380	A1	11/2007	Jahng et al.
2007/0118117	A1	5/2007	Altarac et al.	2007/0288004	A1	12/2007	Alvarez
2007/0118118	A1	5/2007	Kwak et al.	2007/0288008	A1	12/2007	Park
2007/0118119	A1	5/2007	Hestad	2007/0288009	A1	12/2007	Brown et al.
2007/0118122	A1	5/2007	Butler et al.	2007/0288011	A1	12/2007	Logan
2007/0118123	A1	5/2007	Strausbaugh et al.	2007/0288012	A1	12/2007	Colleran et al.
2007/0118124	A1	5/2007	Biedermann et al.	2008/0009862	A1	1/2008	Hoffman
2007/0123862	A1	5/2007	Warmick	2008/0009864	A1	1/2008	Forton et al.
2007/0123864	A1	5/2007	Walder et al.	2008/0015578	A1	1/2008	Erickson et al.
2007/0123865	A1	5/2007	Schlapfer et al.	2008/0015579	A1	1/2008	Whipple
2007/0123866	A1	5/2007	Gerbec et al.	2008/0015580	A1	1/2008	Chao
2007/0123867	A1	5/2007	Kirschman	2008/0015584	A1	1/2008	Richelsof
2007/0123870	A1	5/2007	Jeon et al.	2008/0015586	A1	1/2008	Krishna et al.
2007/0123871	A1	5/2007	Jahng	2008/0021454	A1	1/2008	Chao et al.
2007/0129729	A1	6/2007	Petit et al.	2008/0021455	A1	1/2008	Chao et al.
2007/0135815	A1	6/2007	Gerbec et al.	2008/0021458	A1	1/2008	Lim
2007/0156142	A1	7/2007	Rezach et al.	2008/0021459	A1	1/2008	Lim
2007/0156237	A1	7/2007	Kwak	2008/0021462	A1	1/2008	Trieu
2007/0161986	A1	7/2007	Levy	2008/0021464	A1	1/2008	Norin et al.
2007/0161991	A1	7/2007	Altarac et al.	2008/0021465	A1	1/2008	Shadduck et al.
2007/0161994	A1	7/2007	Lowrey et al.	2008/0021466	A1	1/2008	Shadduck et al.
2007/0161995	A1	7/2007	Trautwein et al.	2008/0021473	A1	1/2008	Butler et al.
2007/0161996	A1	7/2007	Biedermann et al.	2008/0027432	A1	1/2008	Strauss et al.
2007/0161997	A1	7/2007	Thramann et al.	2008/0033435	A1	2/2008	Studer et al.
2007/0161999	A1	7/2007	Biedermann et al.	2008/0039838	A1	2/2008	Landry et al.
2007/0167948	A1	7/2007	Abdou	2008/0039843	A1	2/2008	Abdou
2007/0167949	A1	7/2007	Altarac et al.	2008/0045951	A1	2/2008	Fanger et al.
2007/0173818	A1	7/2007	Hestad et al.	2008/0045955	A1	2/2008	Berrevvoets et al.
2007/0173819	A1	7/2007	Sandlin	2008/0045957	A1	2/2008	Landry et al.
2007/0173820	A1	7/2007	Trieu	2008/0051780	A1	2/2008	Vaidya et al.
2007/0173822	A1	7/2007	Bruneau et al.	2008/0051787	A1	2/2008	Remington et al.
2007/0173828	A1	7/2007	Firkins et al.	2008/0058811	A1	3/2008	Alleyne et al.
2007/0173832	A1	7/2007	Tebbe et al.	2008/0058812	A1	3/2008	Zehnder
				2008/0065071	A1	3/2008	Park
				2008/0065073	A1	3/2008	Perriello et al.
				2008/0065075	A1	3/2008	Dant
				2008/0065077	A1	3/2008	Ferree

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0065079	A1	3/2008	Bruneau et al.	2008/0243052	A1	10/2008	Pond et al.
2008/0071273	A1	3/2008	Hawkes et al.	2008/0243185	A1	10/2008	Felix et al.
2008/0071274	A1	3/2008	Ensign	2008/0243188	A1	10/2008	Walder
2008/0071277	A1	3/2008	Warnick	2008/0243194	A1	10/2008	Lotz et al.
2008/0077136	A1	3/2008	Triplett et al.	2008/0249570	A1	10/2008	Carson et al.
2008/0077138	A1	3/2008	Cohen et al.	2008/0249576	A1	10/2008	Wawkes et al.
2008/0077139	A1	3/2008	Landry et al.	2008/0255617	A1	10/2008	Cho et al.
2008/0077143	A1	3/2008	Shluzas	2008/0262546	A1	10/2008	Calvosa et al.
2008/0086131	A1	4/2008	Daly et al.	2008/0262548	A1	10/2008	Lange et al.
2008/0086132	A1	4/2008	Biedermann et al.	2008/0262551	A1	10/2008	Rice et al.
2008/0091214	A1	4/2008	Richelsoph	2008/0262552	A1	10/2008	Kim
2008/0097431	A1	4/2008	Vessa	2008/0262554	A1	10/2008	Hayes et al.
2008/0097434	A1	4/2008	Moumene et al.	2008/0262556	A1	10/2008	Jacofsky et al.
2008/0097441	A1	4/2008	Hayes et al.	2008/0269742	A1	10/2008	Levy et al.
2008/0097457	A1	4/2008	Warnick	2008/0269804	A1	10/2008	Holt
2008/0108992	A1	5/2008	Barry et al.	2008/0269805	A1	10/2008	Dekutoski et al.
2008/0114403	A1	5/2008	Kuester et al.	2008/0269809	A1	10/2008	Garamszegi
2008/0119849	A1	5/2008	Beardsley et al.	2008/0275456	A1	11/2008	Vonwiller et al.
2008/0119850	A1	5/2008	Beardsley et al.	2008/0275504	A1	11/2008	Bonin et al.
2008/0119857	A1	5/2008	Potash et al.	2008/0287994	A1	11/2008	Perez-Cruet et al.
2008/0119858	A1	5/2008	Potash	2008/0288002	A1	11/2008	Crall et al.
2008/0125777	A1	5/2008	Veldman et al.	2008/0300630	A1	12/2008	Bohnema et al.
2008/0125787	A1	5/2008	Doubler et al.	2008/0300633	A1	12/2008	Jackson
2008/0132952	A1	6/2008	Malandain et al.	2008/0306513	A1	12/2008	Winslow et al.
2008/0132957	A1	6/2008	Matthis et al.	2008/0306525	A1	12/2008	Winslow et al.
2008/0140075	A1	6/2008	Ensign et al.	2008/0306528	A1	12/2008	Winslow et al.
2008/0140076	A1	6/2008	Jackson	2008/0306533	A1	12/2008	Winslow et al.
2008/0140133	A1	6/2008	Allard et al.	2008/0306536	A1	12/2008	Frig et al.
2008/0147122	A1	6/2008	Jackson	2008/0306539	A1	12/2008	Cain et al.
2008/0154279	A1	6/2008	Schumaker et al.	2008/0306540	A1	12/2008	Mitchell et al.
2008/0154307	A1	6/2008	Colleran et al.	2008/0306543	A1	12/2008	Cain et al.
2008/0161854	A1	7/2008	Bae et al.	2008/0306545	A1	12/2008	Winslow
2008/0161857	A1	7/2008	Hestad et al.	2008/0312655	A1	12/2008	Kirschman et al.
2008/0161859	A1	7/2008	Nilsson	2008/0312692	A1	12/2008	Brennan et al.
2008/0161863	A1	7/2008	Arnold et al.	2008/0312694	A1	12/2008	Peterman et al.
2008/0167687	A1	7/2008	Colleran et al.	2008/0312696	A1	12/2008	Butters et al.
2008/0172090	A1	7/2008	Molz	2008/0312701	A1	12/2008	Batters et al.
2008/0172091	A1	7/2008	Anderson	2008/0312703	A1	12/2008	Hestad et al.
2008/0172096	A1	7/2008	Hawkins	2008/0312704	A1	12/2008	Hestad et al.
2008/0177316	A1	7/2008	Bergeronk et al.	2009/0005787	A1	1/2009	Crall et al.
2008/0177317	A1	7/2008	Jackson	2009/0005813	A1	1/2009	Crall et al.
2008/0177319	A1	7/2008	Schwab	2009/0005814	A1	1/2009	Miller et al.
2008/0177321	A1	7/2008	Drewry et al.	2009/0005817	A1	1/2009	Friedrich et al.
2008/0177322	A1	7/2008	Davis et al.	2009/0012567	A1	1/2009	Biedermann et al.
2008/0177327	A1	7/2008	Malandain et al.	2009/0018583	A1	1/2009	Song et al.
2008/0177332	A1	7/2008	Reiley et al.	2009/0018591	A1	1/2009	Hawkes et al.
2008/0183212	A1	7/2008	Veldman et al.	2009/0024165	A1	1/2009	Ferree
2008/0183213	A1	7/2008	Veldman et al.	2009/0024169	A1	1/2009	Triplett et al.
2008/0183215	A1	7/2008	Altarac et al.	2009/0030457	A1	1/2009	Janowski et al.
2008/0183216	A1	7/2008	Jackson	2009/0030464	A1	1/2009	Hestad et al.
2008/0183219	A1	7/2008	Bertram	2009/0030465	A1	1/2009	Altarac et al.
2008/0183223	A1	7/2008	Jeon et al.	2009/0036929	A1	2/2009	Reglos et al.
2008/0195100	A1	8/2008	Capote et al.	2009/0036932	A1	2/2009	Rouyer et al.
2008/0195153	A1	8/2008	Thompson	2009/0036934	A1	2/2009	Biedermann et al.
2008/0195155	A1	8/2008	Hoffman et al.	2009/0048601	A1	2/2009	Forton et al.
2008/0195159	A1	8/2008	Kloss et al.	2009/0048631	A1	2/2009	Bhatnagar et al.
2008/0200918	A1	8/2008	Spitler et al.	2009/0054932	A1	2/2009	Butler et al.
2008/0200956	A1	8/2008	Beckwith et al.	2009/0062860	A1	3/2009	Frasier et al.
2008/0215095	A1	9/2008	Biedermann et al.	2009/0062865	A1	3/2009	Schumacher
2008/0221620	A1	9/2008	Krause	2009/0062867	A1	3/2009	Schumacher
2008/0221692	A1	9/2008	Zucherman et al.	2009/0062914	A1	3/2009	Marino
2008/0228184	A1	9/2008	Hestad	2009/0069849	A1	3/2009	Oh et al.
2008/0228227	A1	9/2008	Brown et al.	2009/0069852	A1	3/2009	Farris et al.
2008/0228228	A1	9/2008	Hestad	2009/0069853	A1	3/2009	Schumacher
2008/0228229	A1	9/2008	Walder et al.	2009/0076550	A1	3/2009	Bernhardt, Jr. et al.
2008/0234691	A1	9/2008	Schwab	2009/0076552	A1	3/2009	Tornier
2008/0234734	A1	9/2008	Wabler et al.	2009/0082809	A1	3/2009	Nguyen et al.
2008/0234736	A1	9/2008	Trieu et al.	2009/0082812	A1	3/2009	Lewis
2008/0234737	A1	9/2008	Bosehert	2009/0082815	A1	3/2009	Zylber et al.
2008/0234738	A1	9/2008	Zylber et al.	2009/0082819	A1	3/2009	Blain et al.
2008/0234739	A1	9/2008	Hudgins et al.	2009/0088782	A1	4/2009	Moumene et al.
2008/0234744	A1	9/2008	Zylber et al.	2009/0088799	A1	4/2009	Yeh
2008/0234746	A1	9/2008	Jahng et al.	2009/0088803	A1	4/2009	Justis et al.
2008/0234756	A1	9/2008	Sutcliffe et al.	2009/0088807	A1	4/2009	Castaneda et al.
2008/0234759	A1	9/2008	Marino	2009/0093820	A1	4/2009	Trieu et al.
				2009/0093843	A1	4/2009	Lemoine et al.
				2009/0093845	A1	4/2009	Hestad et al.
				2009/0093846	A1	4/2009	Hestad et al.
				2009/0099606	A1	4/2009	Hestad et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2009/0099607	A1	4/2009	Fallin et al.	2009/0287253	A1	11/2009	Felix et al.
2009/0099608	A1	4/2009	Szczesny	2009/0299411	A1	12/2009	Laskowitz et al.
2009/0105760	A1	4/2009	Frey	2009/0299415	A1	12/2009	Pimenta
2009/0105769	A1	4/2009	Rock et al.	2009/0306719	A1	12/2009	Meyer, III et al.
2009/0105770	A1	4/2009	Berrevoets et al.	2009/0306720	A1	12/2009	Doubler et al.
2009/0105771	A1	4/2009	Lei et al.	2009/0312804	A1	12/2009	Gamache et al.
2009/0112265	A1	4/2009	Hudgins et al.	2009/0318968	A1	12/2009	Duggal et al.
2009/0112266	A1	4/2009	Weng et al.	2009/0326582	A1	12/2009	Songer et al.
2009/0112267	A1	4/2009	Atkinson et al.	2009/0326583	A1	12/2009	Moumene et al.
2009/0118767	A1	5/2009	Hestad et al.	2009/0326586	A1	12/2009	Duarte
2009/0118772	A1	5/2009	Diederich et al.	2009/0326587	A1	12/2009	Matthis et al.
2009/0125063	A1	5/2009	Panjabi	2010/0004692	A1	1/2010	Biedermann et al.
2009/0131981	A1	5/2009	White	2010/0004695	A1	1/2010	Stad et al.
2009/0131983	A1	5/2009	Biedermann	2010/0010540	A1	1/2010	Park
2009/0138044	A1	5/2009	Bergeron et al.	2010/0010544	A1	1/2010	Fallin et al.
2009/0138052	A1	5/2009	Biedermann et al.	2010/0016898	A1	1/2010	Shluzas
2009/0143827	A1	6/2009	Levy et al.	2010/0023061	A1	1/2010	Randol et al.
2009/0143828	A1	6/2009	Stad et al.	2010/0030224	A1	2/2010	Winslow et al.
2009/0143829	A1	6/2009	Shluzas	2010/0030271	A1	2/2010	Winslow et al.
2009/0149885	A1	6/2009	Durwood et al.	2010/0030283	A1	2/2010	King et al.
2009/0149887	A1	6/2009	Schlaepfer et al.	2010/0036420	A1	2/2010	Kalfas et al.
2009/0149892	A1	6/2009	Stad et al.	2010/0036422	A1	2/2010	Flynn et al.
2009/0163901	A1	6/2009	Fisher et al.	2010/0036423	A1	2/2010	Hayes et al.
2009/0163953	A1	6/2009	Biedermann et al.	2010/0036424	A1	2/2010	Fielding et al.
2009/0163954	A1	6/2009	Kwak	2010/0036425	A1	2/2010	Barrus et al.
2009/0163955	A1	6/2009	Moumene et al.	2010/0036443	A1	2/2010	Hutton et al.
2009/0163956	A1	6/2009	Biedermann et al.	2010/0042149	A1	2/2010	Chao et al.
2009/0163961	A1	6/2009	Kirschman	2010/0042152	A1	2/2010	Semier et al.
2009/0163963	A1	6/2009	Berrevoets	2010/0042155	A1	2/2010	Biedermann et al.
2009/0171392	A1	7/2009	Garcia-Bengochea et al.	2010/0042156	A1	2/2010	Harms et al.
2009/0171395	A1	7/2009	Jeon et al.	2010/0049254	A1	2/2010	Biedermann et al.
2009/0177232	A1	7/2009	Kiester	2010/0057125	A1	3/2010	Viker
2009/0182380	A1	7/2009	Abdelgany	2010/0057126	A1	3/2010	Hestad
2009/0192548	A1	7/2009	Jeon et al.	2010/0063544	A1	3/2010	Butler
2009/0192551	A1	7/2009	Cianfrani et al.	2010/0063545	A1	3/2010	Richelsoph
2009/0198280	A1	8/2009	Spratt et al.	2010/0063547	A1	3/2010	Morin et al.
2009/0198281	A1	8/2009	Rice et al.	2010/0063550	A1	3/2010	Felix et al.
2009/0198289	A1	8/2009	Manderson	2010/0063551	A1	3/2010	Richelsoph
2009/0198291	A1	8/2009	Kevin et al.	2010/0063552	A1	3/2010	Chin et al.
2009/0204155	A1	8/2009	Aschmann	2010/0063553	A1	3/2010	Warnick
2009/0216280	A1	8/2009	Hutchinson	2010/0069919	A1	3/2010	Carls et al.
2009/0221877	A1	9/2009	Woods	2010/0069963	A1	3/2010	Eckman
2009/0228045	A1	9/2009	Hayes et al.	2010/0069964	A1	3/2010	Lechmann
2009/0240286	A1	9/2009	Friedrich et al.	2010/0069969	A1	3/2010	Ampuero et al.
2009/0240287	A1	9/2009	Cunliffe et al.	2010/0087858	A1	4/2010	Abdou
2009/0240292	A1	9/2009	Butler et al.	2010/0087861	A1	4/2010	Lechmann et al.
2009/0248030	A1	10/2009	Butler et al.	2010/0087862	A1	4/2010	Biedermann et al.
2009/0248075	A1	10/2009	Ogilvie et al.	2010/0087863	A1	4/2010	Biedermann et al.
2009/0248077	A1	10/2009	Johns	2010/0087864	A1	4/2010	Klein et al.
2009/0248081	A1	10/2009	LeHuec et al.	2010/0087865	A1	4/2010	Biedermann et al.
2009/0248083	A1	10/2009	Patterson et al.	2010/0094343	A1	4/2010	Pham et al.
2009/0248088	A1	10/2009	Biedermann	2010/0094345	A1	4/2010	Saidha et al.
2009/0254123	A1	10/2009	Pafford et al.	2010/0094348	A1	4/2010	Biedermann et al.
2009/0254125	A1	10/2009	Predick	2010/0094349	A1	4/2010	Hammer et al.
2009/0259254	A1	10/2009	Pisharodi	2010/0094352	A1	4/2010	Iott et al.
2009/0259257	A1	10/2009	Prevost	2010/0094353	A1	4/2010	Shim et al.
2009/0259258	A1	10/2009	Perez-Cruet et al.	2010/0100136	A1	4/2010	Won et al.
2009/0264895	A1	10/2009	Gasperut et al.	2010/0100137	A1	4/2010	Justis et al.
2009/0264896	A1	10/2009	Biedermann et al.	2010/0106189	A1	4/2010	Miller
2009/0264930	A1	10/2009	McBride	2010/0114170	A1	5/2010	Barrus et al.
2009/0264933	A1	10/2009	Carls et al.	2010/0114171	A1	5/2010	Boachie-Adjei et al.
2009/0270916	A1	10/2009	Ramsay et al.	2010/0114179	A1	5/2010	Moore et al.
2009/0270917	A1	10/2009	Boehm	2010/0114180	A1	5/2010	Rock et al.
2009/0270920	A1	10/2009	Douget et al.	2010/0114182	A1	5/2010	Wilcox et al.
2009/0270921	A1	10/2009	Krause	2010/0121385	A1	5/2010	Blain et al.
2009/0270922	A1	10/2009	Biedermann et al.	2010/0121386	A1	5/2010	Peultier et al.
2009/0275981	A1	11/2009	Abdelgany et al.	2010/0125302	A1	5/2010	Hammill, Sr. et al.
2009/0275983	A1	11/2009	Veldman et al.	2010/0131017	A1	5/2010	Farris et al.
2009/0275986	A1	11/2009	Prevost et al.	2010/0131018	A1	5/2010	Konieczynski et al.
2009/0281571	A1	11/2009	Weaver et al.	2010/0137918	A1	6/2010	Wilcox et al.
2009/0281572	A1	11/2009	White	2010/0137920	A1	6/2010	Hammill, Sr. et al.
2009/0281573	A1	11/2009	Biedermann et al.	2010/0145390	A1	6/2010	McCarthy et al.
2009/0287250	A1	11/2009	Molz, IV et al.	2010/0152776	A1	6/2010	Keyer et al.
2009/0287251	A1	11/2009	Bae et al.	2010/0152785	A1	6/2010	Forton et al.
2009/0287252	A1	11/2009	Marik et al.	2010/0152787	A1	6/2010	Walsh et al.
				2010/0152788	A1	6/2010	Warnick

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	2006042188	4/2006
WO	WO2006/045094	4/2006
WO	2006047711	5/2006
WO	2006066685	6/2006
WO	2006079531	8/2006
WO	WO2006/086537	8/2006
WO	2006096240	9/2006
WO	2006096351	9/2006
WO	2006104874	10/2006
WO	2006110463	10/2006
WO	WO2006/116662	11/2006
WO	WO2006/119241	11/2006
WO	WO2007/002409	1/2007
WO	WO2007/118045	10/2007
WO	WO2007/124222	11/2007
WO	WO 2007/124249	11/2007
WO	WO2007/130835	11/2007
WO	WO2007/130840	11/2007
WO	WO2007/130941	11/2007
WO	WO2008/045210	4/2008
WO	WO2008/069420	6/2008
WO	WO2008/088731	7/2008
WO	WO2008/088990	7/2008
WO	WO2008/089075	7/2008
WO	WO2008/140756	11/2008
WO	WO2009/015100	1/2009
WO	WO2005/013839	2/2009
WO	WO2009/036541	3/2009
WO	WO2010/018316	2/2010
WO	WO2010/018317	2/2010
WO	WO2010/019704	2/2010
WO	WO2010/019857	2/2010

OTHER PUBLICATIONS

Brochure of Spinal Concepts, an Abbott Laboratories Company, *Pathfinder, Minimally Invasive Pedicle Fixation System*, Publication Date: Nov. 2003.

Brochure of Spinal Concepts, *InCompass, Thoracolumbar Fixation System*, Publication Date: Oct. 2003.

Brochure of Spinal Concepts, Surgical Technique, *InCompass, Thoracolumbar Fixation System*, Publication Date: Oct. 2003.

Brochure of SpineLine, Current Concepts, *Minimally Invasive Posterior Spinal Decompression and Fusion Procedures*, Publication Date: Sep./Oct. 2003.

Brochure of Sofamor Danek the Spine Specialist, TSRH, *Pedicle Screw Spinal System*, Publication Date: Jan. 23, 1995.

Brochure of Tyco/Healthcare/Surgical Dynamics on Spiral Radius 90D, Publication Date: Sep. 2001, pp. 1-8.

Brochure of Zimmer Spine, Inc., Dynesys® LIS Less Invasive Surgery, The Dynamic Stabilization System, Publication Date: 2005.

CD Horizon M8 Multi Axial Screw Spinal System Brochure, Medtronic Sofamor Danek, no publish date.

Claris Instrumentation Brochure, G Med, pub. 1997.

EBI Omega 21 Brochure, EBI Spine Systems, pub. 1999.

SDRS Surgical Dynamics Rod System Brochure, Surgical Dynamics, pub. 1998-99.

Spine, Lipcott, Williams & Wilkins, Inc. vol. 24, No. 15, p. 1495.

The Rod Plate System Brochure, Stryker Howmedica Osteonics, pub. Oct. 1999.

Versalok Low Back Fixation System Brochure, Wright Medical Technology, Inc., pub. 1997.

VLS System Variable Locking Screw Brochure, Interpore Cross International, 1999.

* cited by examiner

Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.





Fig. 6.






Fig. 7.




Fig. 8.

Fig. 9.




Fig. 10.







Fig. 11.










Fig. 14.




Fig. 15.




Fig.17.





Fig.18.






Fig. 19.

Fig. 20.




Fig. 21.





Fig. 22.






Fig. 23.





Fig. 24.

1

ORTHOPEDIC IMPLANT ROD REDUCTION TOOL SET AND METHOD

CROSS-REFERENCE TO RELATED APPLICATION

This application is a continuation of U.S. patent application Ser. No. 13/374,932, filed Jan. 24, 2012 that was a continuation of U.S. patent application Ser. No. 12/584,413, filed Sep. 4, 2009, which is a continuation of U.S. patent application Ser. No. 12/220,185, filed Jul. 22, 2008, which is a Division of U.S. patent application Ser. No. 10/789,149, filed Feb. 27, 2004, which issued as U.S. Pat. No. 7,160,300 on Jan. 9, 2007, all of which are incorporated herein by reference.

BACKGROUND OF THE INVENTION

The present invention relates to apparatuses and methods for use in performing spinal surgery and, in particular, to tools and methods of using such tools, especially for percutaneously implanting a rod for spinal support and alignment using minimally invasive techniques.

For many years, spinal osteosynthesis apparatuses have been utilized to correct spinal deformities, injuries or disease. In such procedures, elongate rods are surgically attached to vertebrae of the spine to provide support and/or to reposition certain vertebrae. Such rods are secured to vertebrae utilizing bone screws and other implants.

Surgical techniques and bone screws have improved; however, in order to reduce the impact of such surgery on the patient, it has been desirable for such implants to be inserted percutaneously or with surgical techniques that are minimally invasive to the body of the patient. This presents a problem with implantation of rods that are elongate and have historically required a long incision and open wound in order to provide for the length of the rod and the space required for the surgeon's hands to manipulate the rod, implants and insertion tools used with the rod. Consequently, it has been desirable to develop apparatuses and techniques that allow for the insertion of bone screws, the insertion and reduction of a rod and the securing of the rod to the bone screws with significantly reduced invasion into the body of the patient and with minimal incision size in the skin over the operational site.

SUMMARY OF THE INVENTION

A set of tools is provided for percutaneously implanting a spinal rod in a patient. The tools include a pair of end guide tools that have channels sized to receive opposite ends of such a rod and allow sliding of the rod along the channel so as to guide ends of the rod into opposed end bone screw-heads to which the end guide tools are attached. Intermediate guide tools are also attached to bone screw-heads between the end bone screws and are slotted to guide the rod to respective bone screws attached to the intermediate guide tools.

The guide tools also include lower attachment structure to allow the guide tools to be easily and quickly secured to mating structure on a respective bone screw-head, and to be easily removed from the bone screw by manual rotation of a handle of the tools exterior of the patient, after which the guide tool is withdrawn from the patient. The intermediate guide tools have a snap-on and twist-off association with an associated intermediate bone screw and the end guide tools have a twist-on and twist-off association with respective end bone screws. In certain embodiments, other attachment structure may be used.

2

Each of the guide tools also includes an internal first lower guide and advancement structure that functions in cooperation with an internal second guide and advancement structure within the bone screw head and also with external helical wound thread or locking flange form mating structure on a bone screw closure top for closing the head of the bone screw, so as to be able to load the closure top through a top-to-bottom passageway in the guide tool and rotate the closure top with a closure top installation tool. Beneath the surface of the skin, the closure top is partially surrounded by the guide tool as it is directed to the bone screw. Clockwise rotation of the closure top in the region of the lower guide and advancement structure engages the closure top therewith and produces mechanical advantage that causes the closure top to be driven against the rod as it advances thereby urging the rod into the head of a respective bone screw. The closure top is driven and advanced by rotation of the closure top by the closure top installation tool and transferred or passed from the first guide and advancement structure in the guide tool to the second guide and advancement structure in the bone screw without losing mechanical advantage and while continually applying downward pressure on the rod, so as to drive the closure top downward and against the rod and so as to bias the rod into the head of the bone screw where it is captured by the closure top and locked in position.

OBJECTS AND ADVANTAGES OF THE INVENTION

Therefore, the objects of the present invention are: to provide a set of tools for implanting a spinal rod for support or alignment along a human spine with minimal surgical invasion of the patient; to provide such a set of tools including a pair of end tool guides for slidably guiding opposed ends of the rod toward end bone screws attached to the end guide tools; to provide such a set of tools including intermediate guide tools for each intermediate bone screw that guide the rod in slots therethrough to respective bone screws; to provide such a set of tools including rod pusher and closure top installation tools for assisting in securing the rod in the bone screws; to provide such a set of tools where the end guide tools include a longitudinal channel extending upwardly from near a bottom thereof to slidably receive and guide ends of the rod toward associated end bone screws; to provide such a set of tools wherein the guide tools are easily attached to and disengaged from the bone screws; to provide such a set of tools wherein each guide tool includes a first guide and advancement structure near the bottom thereof that receives thread or locking flange mating structure on the closure top and advances the closure top upon rotation of the closure top to urge the rod downwardly; to provide such a set of tools wherein the guide tool first guide and advancement structure acts cooperatively with a second guide and advancement structure on the bone screw so as to transfer the closure top upon rotation thereof from the guide tool to the bone screw while continuously applying pressure to the rod and thereafter further advance the closure top to urge the rod into a seated position in the bone screw; to provide such a set of tools wherein the guide tools easily attach to and disengage from the bone screws by manual manipulation of the surgeon outside the patient's skin; to provide a method of implanting a rod into a patient with minimal surgical invasion of the patient; to provide such a method utilizing the previously described tools for percutaneous implantation of such a rod; to provide such a method wherein end guide tools are utilized to receive opposite ends of a rod and guide the rod ends in the guide tool channels through manipulation of the guide tools

3

and use of rod pusher tools; to provide such a method wherein intermediate guide tools are utilized to guide intermediate locations along the rod to respective intermediate bone screws; to provide such a method wherein guide and advancement structure near the bottoms of the guide tools, on the bone screws and on the closure tops are utilized to pass the closure top under rotation and with driving force between the guide tools and the bone screws and to drive the rod into a seating position in the bone screw; and to provide such a set of tools and methods that are easy to use and especially adapted for the intended use thereof and wherein the tools are comparatively inexpensive to produce.

Other objects and advantages of this invention will become apparent from the following description taken in conjunction with the accompanying drawings wherein are set forth, by way of illustration and example, certain embodiments of this invention.

The drawings constitute a part of this specification and include exemplary embodiments of the present invention and illustrate various objects and features thereof.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a fragmentary front elevational view of an intermediate guide tool in accordance with the present invention.

FIG. 2 is a fragmentary side elevational view of the intermediate guide tool.

FIG. 3 is a fragmentary cross sectional view of the intermediate guide tool, taken along line 3-3 of FIG. 1.

FIG. 4 is a fragmentary front elevational view of an end guide tool.

FIG. 5 is a fragmentary side elevational view of the end guide tool.

FIG. 6 is a cross sectional view of the end guide tool, taken along line 6-6 of FIG. 4.

FIG. 7 is an enlarged and fragmentary front elevational view showing snap-on installation of the intermediate guide tool on a polyaxial bone screw head.

FIG. 8 is an enlarged and fragmentary front elevational view showing the intermediate guide tool installed on the bone screw head.

FIG. 9 is a fragmentary and cross-sectional view showing an early stage of the snap on installation of the intermediate guide tool on the bone screw head.

FIG. 10 is a fragmentary and cross-sectional view showing a later stage of installation of the intermediate guide tool on the bone screw head.

FIG. 11 is a fragmentary and cross-sectional view showing the intermediate guide tool installed on the bone screw head.

FIG. 12 is a partial and generally schematic view of a patient's spine with the end guide tool in conjunction with a bone screw installation tool, at the end of a process of installing a bone screw with attached end guide tool in a spinal vertebra.

FIG. 13 is a partial and generally schematic view of the spine with a pair of end guide tools and a pair of intermediate guide tools mounted on respective implanted bone screws and being utilized in an early stage of rod implantation to guide the rod toward the bone screws.

FIG. 14 is a view similar to FIG. 13 showing an intermediate stage of guiding the rod toward the bone screws.

FIG. 15 is a view similar to FIG. 13 showing a later intermediate stage of guiding the rod toward the bone screws.

FIG. 16 is a partial and generally schematic cross sectional view of the spine showing rods being implanted on opposite sides of the spine and with the rod on the left in an early stage

4

of implanting while the rod on the right is in a later stage of implanting, taken along line 16-16 of FIG. 15.

FIG. 17 is a cross-sectional view of an end guide tool, similar to FIG. 6, shown during installation of the rod and a closure top in the bone screw attached to the end guide tool.

FIG. 18 is a view similar to FIG. 17 showing the rod and closure top installed in the bone screw before final torquing of the closure top.

FIG. 19 is a partial and generally schematic side view of the spine showing the rod fully installed in the bone screws.

FIG. 20 is an exploded and front elevational view of a closure top installation tool, antitorque tool and one of the intermediate guide tools attached to a bone screw.

FIG. 21 is a fragmentary and front elevational view of the antitorque tool being positioned so as to allow final torquing to a closure top in the bone screw.

FIG. 22 is an enlarged and fragmentary side view of the end guide tool, as shown in FIG. 21, in conjunction with the installation tool and antitorque tool with portions broken away to shown interior detail and with the closure top having just been installed and torqued in the bone screw so that a break away head of the closure top has been removed.

FIG. 23 is a fragmentary and enlarged front elevational view showing an early stage in the removal of the end guide tool from the bone screw wherein the tool has been rotated approximately ninety degrees relative to its axis to the shown removal configuration from the installation configuration, such as seen in FIG. 17, thereof.

FIG. 24 is a fragmentary and enlarged front elevational view showing the end guide tool disengaged from the bone screw.

DETAILED DESCRIPTION OF THE INVENTION

As required, detailed embodiments of the present invention are disclosed herein; however, it is to be understood that the disclosed embodiments are merely exemplary of the invention, which may be embodied in various forms. Therefore, specific structural and functional details disclosed herein are not to be interpreted as limiting, but merely as a basis for the claims and as a representative basis for teaching one skilled in the art to variously employ the present invention in virtually any appropriately detailed structure.

The reference numeral 1 generally designates a tool set for use in installing an orthopedic spinal rod 4 into a set of bone screws 6 in accordance with the present invention.

The tool set 1 of the illustrated embodiment includes a pair of end guide tools 9 and a plurality of intermediate guide tools 10, which in the illustrated embodiment includes a pair of intermediate guide tools 10 on each side of a patient's spine 17, but which can include none, one or many intermediate guide tools 10 depending upon the particular application, so that one intermediate guide tool 10 is used for each intermediate bone screw 6 to which the rod 4 is to be attached. The bone screws 6 are implanted in the patient's spine 17 and, in particular, in vertebrae 18 along the spine 17. Rods 4 are often installed on both sides of the spine 17, as seen in FIG. 16, during the same procedure.

The end guide tool 9 is illustrated in FIGS. 4 through 6. In particular, each end guide tool 9 has an elongate body 14 that is sized and shaped to be sufficiently long to extend from implanted bone screws 6 through an exterior of a patient's skin 14 so as to provide an outwardly extending and upper handle portion 16 that allows and provides for gripping by a surgeon during procedures utilizing the tool set 1. Each of the end guides 9 include an intermediate portion 19 and a lower

5

portion 20 along the length thereof. Each end guide tool 9 has a back wall 21 joining a pair of side walls 22 and 23.

More specifically, the upper portion 16 of each end guide tool 9 is generally channel shaped having a U-shaped cross-section, a C-shaped cross-section, a crescent shaped cross-section or the like in order to form an opening 24 that opens into and forms part of a channel 25 that opens radially to one side of the end guide tool 9 and defines the side to side opening 24 that is sufficiently wide to receive additional tools and/or a closure top, as will be discussed below. The intermediate portion 19 of each end guide also includes an outward facing channel 29 that has an opening 26 which is somewhat smaller than the opening 24 of the upper portion 16, such that the channel 29 is sized and shaped to receive certain tools, as described below. Finally, the end guide lower portion 20 also includes a groove or channel 34 opening radially outward and having a side-to-side width or opening 35 that is approximately the same size as the opening 26. The channel 34 has a rear web or wall 36 having a lower end 37. All of the channels 25, 29 and 34 communicate with one another and are aligned with one another so as to provide a continuous elongate interior passageway with an open side from near a top 38 to near a bottom 39 thereof. This passageway provides a continuous open path of non uniform cross-section radius from the top 38 to the bottom 39 thereof that is parallel to an elongate axis A of each end guide tool 9. As will be discussed later, each end guide tool channel 34 is especially sized and shaped to slidably receive a respective end 42 of the rod 4 therein.

Near the end guide bottom 39 is a cut out 45 wherein a portion of the back wall 21 of the channel 34 is removed in order to provide a region having a size and shape to allow passage of a respective end 42 of the rod 4 therethrough. Also located near the end guide bottom 39 is a rod abutment recess 49 that is sized and shaped for the purpose of bridging the rod 4 when the end guide tool 9 is rotated for removal, as described below. The end guide tool 9 also receives a closure top 52, as will be described below. Still further, near the bottom 39 of each of the end guides 9 is a helical wound first guide and advancement structure 50 which may include conventional helical threads, helically wound square threads, or other guide and advancement structure to cooperate with equivalent or mateable structure within the bone screw heads 6 and on the closure top 52, as also described below. The lower free ends of the side walls 22 and 23 form spaced tangs or legs 53 and 54.

At the bottom 39 of each end guide tool 9 is a radially inward facing attachment structure 55 that includes a base 56 and an upperly and axially extending projection, flange or hook member 57 which will be described in conjunction with a bone screw 6 below.

Referring more specifically to the bone screw 6, each of the bone screws 6 includes a threaded shank 60 for screwing into and seating in a vertebra 18 that is part of the human spine 17, see FIG. 12. Each of the bone screws 6 also include a head 66 with a rod receiving channel 67 passing therethrough. Each of the bone screw shanks 60 includes an upper portion 70 that extends into the head 66 and is operationally secured therein, so that the head 66 is rotatable on the shank 60 until locked in position through engagement with the rod 4 under pressure. In particular, each shank upper portion 70 has an upwardly extending dome 71 that engages the rod 4, when the rod 4 is placed within an associated channel 67 so that as the rod 4 urges the dome 71 downwardly, the shank upper portion 70 frictionally locks the shank 60 in position in a fixed angular

6

position relative to the head 66. Many different conventional bone screws where the head locks relative to the shank are well known in the art.

The present invention is not intended to be restricted to a particular type of bone screw. In the present embodiment, a polyaxial type bone screw 6 is utilized wherein the shank 60 is locked in position by direct contact with the rod 4. It is foreseen that tool set 1 of the present invention can be used with virtually any type of bone screw, including polyaxial bone screws of many different types wherein the head is locked relative to the shank by structure other than in the manner described in the illustrated embodiment.

Each bone screw head 66 has a pair of upstanding arms 74 and 75 with internal second guide and advancement structure 76 on the insides thereof. One of the arms 74 includes a circumferentially located receiver 78 that comprises a lower slot 79 that extends partially circumferentially about the periphery of the arm 74 and ends in an upperwardly projecting but hidden recess 80. While the slot 79 is located on the arm 74 in the illustrated embodiment, a slot for this purpose could be located anywhere on the bone screw head 66. The slot 79 and recess 80 are sized, shaped and positioned so as to receive the attachment structure 55 of the end guides 9 therein. For greater detail, see the description below for the attachment structure associated with intermediate guide tools 10 and shown in FIGS. 10 and 11. The guide tool attachment structure 55 is sized and shaped to allow the attachment structure 55 to be received in the receiver 78 and locked therein by pulling the end guide tool 9 slightly axially upward relative to a respective bone screw 6. In order to disengage the guide tool 9 from the bone screw 6, the guide tool 9 is rotated 90 degrees counterclockwise from an attaching configuration, when viewing from the top so as to disengage the hook 57 from the recess 80 and so that the base 56 and hook 57 of the attachment structure 55 free to rotate above the rod 4 and closure top 52 and be released from the receiver 78. In this manner, end guide tools 9 twist off of respective bone screws 6 and in the particular illustrated embodiment the end guide tools 9 are also assembled on the bone screws 6 by the opposite twist on maneuver is the reverse of the twist off maneuver. In certain embodiments where there is enough flexibility in the legs 53 and 54, such that the legs 53 and 54' can be played radially outwardly at the bottom 39 thereof in the manner shown in FIG. 7, so the end guide tool 9 snaps-on over the bone screw 6, as will be described for the intermediate guide tools 10 below.

The unflexed space between the legs 53 and 54 that is equivalent to the width of the opening 35 is preferably substantially equivalent to the space between the bone screw arms 74 and 75 so that the channel 34 of the end guide tool 9 aligns with the channel 67 of the bone screw 6 when the end guide tool 9 is mounted on a respective bone screw 6. The recess 49 is sized, shaped and positioned so that when the rod 4 is located in the bone screws 6, the end guide tool 9 can rotate about axis A and the recess 49 allows the end guide tool 9 to straddle over the rod 4, thereby allowing the end guide tool 9 to twist relative to the bone screw 6 and free the attachment structure 55 from the receiver 78 and thereafter be removed after all procedures are complete, as described below.

Each of the intermediate guide tools 10 (see especially FIGS. 1 to 3) have a somewhat similar overall shape when compared to the end guide tools 9 in that both are preferably of the same axial length and width and also have much structure in common; however with certain differences as noted. Many of the structures of the intermediate guide tools 10 that

are the same as the end guide tools **9** are given the same reference number and the above noted description applies to each such tool **9** or **10**.

Each intermediate guide tool **10** has an overall elongate body **84** with an upper portion **86**, an intermediate portion **87** and a lower portion **88**. In the upper portion **86**, the body **84** is generally C-shaped having a radially outward opening and elongate and axially extending channel **90** terminating in a web or rear wall **91** with side walls **92** and **93**. The channel **90** has a front opening **95** that extends parallel to an axis of the body **84** and that is sized and shaped to receive tools and elements described below.

The intermediate portion **87** also includes an outwardly opening channel **97** with a rear web or wall **98** having a lower end **100** and a front opening **99** that is not as wide as the opening **95**. The lower portion **88** includes two spaced side walls or legs **93** and **94** with an elongate and axially extending passthrough opening **101** between the legs **93** and **94** that extends more than half way along the intermediate tool **10** and near the intermediate portion **87**. The legs **93** and **94** define between them a pass through and aligned slot **105** sized and shaped to slidably receive the rod **6**.

The lower portion **88** extends substantially axially along the intermediate guide tools **10** and preferably to the location in use where the intermediate guide tools **10** pass through the skin **14**.

The bottom **39** of each intermediate guide tool **10** includes a helically wound but discontinuous square thread or first guide and advancement structure **109** that cooperates with the closure top **52**, as described below. The lower end of each intermediate guide tool **10** also includes a cutout **112** and an attachment structure **113** similar to structure **55** of the same type described for each end guide tool **9**.

The attachment structure **113** (see especially FIGS. **9** to **11**) includes a body **114** with an upperwardly extending, projection, flange or hook member **115** that follows the inner curvature of the guide tool leg **93**. The body **114** extends radially inward and is sized and shaped to mate with and set within the bone screw head receiver **78**. The bone screw receiver **78** is sufficiently wide to simultaneously receive both the body **114** and hook member **115** in a radially inward direction, as is shown in the view in FIG. **10**. The attachment structure **113** is then set by axially raising the guide tool **10** relative to the bone screw **6** so at least part of the hook member **115** is located in the recess **80** which secures the guide tool **10** (likewise guide tool **9**) to a respective bone screw **6**, as seen in FIG. **11**. This locks the guide tool **10** to a respective bone screw **6** and prevents outward splaying of the leg **93**. This is a snap-on type installation or assembly as seen in FIG. **7** where the leg **93** splays outward during initial placement of the guide tool **10** over the bone screw **6** and then returns to an unsplayed position when the attachment structure **113** seats in the receiver **78**, as shown in FIG. **10**. Alternatively, the guide tool **10** can be rotated approximately 90° about its axis A prior to joining with a respective bone screw **6**, the attachment structure **113** lowered through the opening between the bone screw arms **74** and **75** and aligned with the bone screw receiver **78**, after which the guide tool **10** is rotated back to the first position shown in FIG. **11** in a twist on type assembly. In some instances the guide tool **10** is rotated somewhat more or less than ninety degrees to make the necessary alignment for removal which depends on the specific construction of the parts.

Enclosure **52** closes between the spaced bone screw arms **74** and **75** to secure the rod **4** in the channel **67**. The closure top **52** can be any of many different plug type closures. Preferably the closure top **52** has a cylindrical body **123** that has a

helically wound mating guide and advancement structure **125**. The guide and advance at structure **125** can be of any type, including V-type threads, buttress threads, reverse angle threads, or square threads. Preferably the guide and advancement structure **125** is a helically wound flange form that interlocks with a reciprocal flange form as part of the second guide and advancement structure **76** on the interior of the bone screw arms **74** and **75**. A suitable locking guide and advancement structure of this type is disclosed in U.S. Pat. No. 6,726,689 from Ser. No. 10/236,123 which is incorporated herein by reference. The helical wound guide **50** and advancement structure in the bottom **39** of each of the guide tools **9** and **10** is sized and shaped to receive the mating guide and advancement structure **125** of the closure top **52** and align with the second guide and advancement structure **76** of the bone screw **6** to form a generally continuous helically wound pathway, but does not require locking between the closure top **52** and the tools **9** and **10**, even when a locking flange form is utilized on the closure top **52**. The illustrated structure **125** has a square form or a square thread type shape. The guide **50** allows the closure top **52** to be rotated and the surgeon to develop mechanical advantage to urge or drive the rod **4**, while still outside the bone screw head **6**, toward and into the bone screw head **66**. This is especially helpful where the rod **4** is bent relative to the location of the vertebra **18** to which the rod **4** is to attach and is not easily placed in the bone screw head **66** without force and the mechanical advantage provided by the guide **50**. In particular, the first guide and advancement structure **109** on each tool **9** and **10** is located and positioned to align with the second guide and advancement structure **76** on the insides of the bone screw arms **74** and **75**, as seen in FIGS. **17** and **18** and pass the closure top **52** therebetween while allowing the closure top **52** to continue to rotate and to continuously apply force to the rod **4**, so as to seat the rod **4** in the bone screw head **66**.

Each closure top **52** also preferably includes a break off head **127** that breaks from the body **123** in a break off region **128** upon the application of a preselected torque, such as 95 inch-pounds. The break off head preferably has a hexagonal cross section faceted exterior **129** that is adapted to mate with a similarly shaped socket of a closure driving or installation tool **145**, described below. It is foreseen that different driving heads or other methods of driving the closure top **52** can be utilize with certain embodiments of the invention.

Additional tools are utilized to assemble the implant. In particular, FIG. **16** illustrates a rod pusher **136** on the left. The pusher **136** has an elongate shaft or rod **138** that is preferably received in and passes through the interior of the guides **9** and **10**, such as the channel **90** of the guide tool **10**. The pusher **136** also has a tip **139** for engaging and urging the rod **4** downward, where there is minor resistance, and a handle **141**. It is foreseen that a pusher or gripper of the type that operates outside the guide tools **9** and **10** can be utilized, but is not preferred as such would normally require greater penetration of the skin **14** and more invasion of the patient.

Shown in FIG. **16** on the left and in FIG. **17** is the closure installation tool **145**. The tool **145** has an elongate rod or shaft **147** adapted to be received in and pass axially through any of the channels of the guides **9** and **10** and a handle **149**. The lower end of the rod **147** terminates in a socket **148** that is adapted to receive the closure break off head **127**, as shown in FIG. **17**.

Another tool used in implanting a rod **4** is an antitorque tool **153** which is seen in FIGS. **20** to **22**. The antitorque tool **153** is preferably used with the closure installation tool **145** to torque and set the closure top **52**, so it is snug against the rod **4**, and thereafter break away the break off head **127** in the

manner shown in FIG. 22. The antitorque tool 153 includes a tubular hollow shaft 155 that is sized and shaped to be slidably received over the guide 9 and 10. The antitorque tool 153 has a lower end 157 that has a pair of diametrically spaced bridges 158. Each of the bridges 158 is sized and shaped to fit over the rod 4, as seen in FIG. 21. When in place, as seen in FIG. 21, the antitorque tool 153 allows a surgeon to counter torque applied by the installation tool 145, when applying torque to and breaking away the break off head 127. The antitorque tool 153 also has an upper handle 16 with an opening through which the installation tool 145 passes in the manner suggested by the dashed lines in FIG. 20.

In use, the previously described tools are utilized to attach one or more rods 4 to the human spinal column 17.

The procedure is begun by forming a relatively small incision, such as incision 165 in the skin 14 for each bone screw 6 to be used. The incisions 165 are stretched into a round shape with a circumference equal to or just slightly larger than the guide tools 9 and 10. The skin 14 is relatively flexible and allows the surgeon to move the incision 165 around relative to the spine 17 to manipulate the various tools and implants, as required. A drill (not shown) is utilized to form a guide bore (not shown) in a vertebra 18 under guidance of non invasive imaging techniques, which procedure is well known and established. A thin pin 166 is inserted in the guide bore. A bone screw 6 is selected in accordance with the size of the patient's vertebra 18 and the requirements of the spinal support needed. Bone screws 6 having a rotatable or poly axial head 66 are preferred for the procedure, as such allow relatively easy adjustment of the rod 4 in the tools 9 and 10 during placement and for movement of tools 9 and 10, as described below. The bone screw 6 is also cannulated so as to be receivable over and guided by the pin 166 toward the proper position in the associated vertebra 18.

Before placing the bone screw 6 in the vertebra 18, the bone screw 6 is preferably joined to an associated guide tool 9 or 10. This could be done after insertion of the bone screw 6, but it is preferred to assemble both before inserting the bone screw 6. With respect to the intermediate guide tool 10, the lower end of the guide tool 10 is splayed or expanded outwardly by forcing the bone screw head 66 between the legs 93 and 94, in the manner shown in FIG. 7 until the attachment structure 113 aligns with the receiver 78 and the former snaps into the later, as shown in FIG. 8. Axial upward movement of the guide tool 10 relative to the bone screw 6 then sets the attachment structure 113 in the recess 80 in the process that is illustrated between FIGS. 10 and 11. Alternatively, the tool 10 can be axially rotated ninety degrees relative to the bone screw 6 and the attachment structure 113 aligned with the recess 80 and then rotated back. The placement of the guide tools 9 on the associated bone screws 6 normally follows the later twist on procedure, as the structure of the guide tools 9 allow less flexing because of the longer back wall 21. With tool 9, the attachment structure 55 is placed in a respective receiver 55.

A series of bone screws 6 are installed in each vertebra 18 to be attached to the rod 4 by use of a screwdriver or installation tool 135, see FIG. 12, that has a head, designed to grip the particular bone screw 6 used and which is also cannulated to receive the pin 166. For each bone screw 6, an associated guide tool 9 or 10 extends through the skin 14, as seen in FIG. 13. An end guide tool 9 is located at each end of the series of bone screws 6 and an intermediate guide tool 10 is located on each intermediate bone screw 6. The end guide tools 9 are turned or rotated so the channels 34 therein face one another and the intermediate guide tools 10 are aligned so slots 105 align with the channels 34.

The rod 4 is then inserted diagonally through one of the end skin incisions 165 in the manner shown in FIG. 13 so that a first rod end 42 passes through the slots 105 in any intermediate guide tools 10 and into the channel 34 of the opposed end guide tool 9. Back muscle tissue separates easily here to allow the upper insertion of the rod 4 and can be further separated by finger separation or cutting through one of the incisions 165, if required.

After initial insertion, the second end 42 of the rod 4 is positioned in the channel 34 of the end guide tool 9 that is located next to the insertion point of the rod 4, as is seen in FIG. 14.

Once the rod 4 is positioned in the guide tools 9 and 10, a pusher tool 136 of the type shown in FIG. 16 is utilized to push the rod 4 in each guide tool 9 or 10 toward the bone screw 6 associated with the guide tool 9 or 10 until the rod 4 is in approximately the position seen in FIG. 15. During this time, the end guide tools 9 can be manipulated to help movement of the rod 4 therealong and can especially have the tops thereof splayed outwardly relative to each other, as seen in FIG. 15. Again, the flexibility of the skin 14 allows such manipulation. Once the rod 4 reaches the bottom 39 of the end guide tools 9, the rod ends 42 encounter the cut outs 45 on either side of the rod 4 and pass therethrough. The rod 4 is sized to extend a little beyond each end bone screw 6 to ensure full capture and reduce likelihood of dislodgement. Because the channels 34 are slightly inward of the full outer length of the rod 4, the channels 34 must be tilted outward somewhat as seen in FIG. 15 to allow the rod 4 to pass down the channels 34 or one end 42 must be driven downward before the other. When the rod 4 is at the bottom of the guide tools 9 and 10, such as seen in FIG. 19, the end guide tools 9 can be returned to a position that is appropriate for properly aligning the bone screw heads 6 relative to the rod 4 prior to tightening and torquing the closure tops 52. Because the rod 4 is normally bent and/or the vertebrae 18 do not align properly, the rod 4 must normally be biased into the bone screw heads 6. This is accomplished by using the closure installation tool 145 in the manner illustrated on the right hand side in FIG. 16 and in FIG. 17.

In particular, the tool 145 has a socket 148 that grips the break off head 127 of the closure top 52. The installation tool 145 with closure top 52 therein is placed in the elongate top to bottom channel associated with the guide tools 9 and 10 either by entry from the side such as into channel 25 through opening 26 in guide tool 9 or into channel 25 through the top end 38 of the guide tool 9. The closure top 52 is then driven under manual control of the surgeon by use of the installation tool 145 toward the rod 4. Near the bottom of the guide tools 9 and 10, such as near the bottom 39 of end guide tool 9, the closure top 52 engages the helical wound first guide and advancement structure 50 and the tool 145 and closure top 52 are rotated mate the closure top helical mating structure 125 with the first guide and advancement structure 50 so as to drive the closure top 52 downward against the rod 4 and to urge the rod 4 downward into the bone screw channel 67. At the bottom of the guide tool 9 or 10, the closure top mating structure 125 engages and begins to mate with the guide and advancement structure 76 on a respective bone screw 6 and continued rotation of the tool 145 drives the rod 4 downward and into engagement with the dome 71 of the bone screw shank 60, so as to snug against and frictionally lock the shank 60 in position relative to the bone screw head 66, see FIG. 18.

Once all of the closure tops 52 are in final seating position in respective bone screws 6 and the surgeon is satisfied with the position of all of the elements, such as is seen in FIG. 19, the antitorque tool 153 is mounted over each guide tool 9 or 10, as shown in FIG. 21 with the bridges 158 straddling the

11

rod **4** to prevent rotation. The installation tool **145** is inserted in the associated guide tool **9** or **10** and engaged with the break off head **127**. By cooperative use of the tools **145** and **153** a preselected torque is manually applied to the break off head **127** and it breaks from the closure top body **123** in the manner shown in FIG. **22** and is removed along with the antitorque tool **153**.

The guide tools **9** and **10** are then each rotated ninety degrees to align the attachment structure, such as structures **55** and **113** with the opening between bone screw arms **74** and **75**, as shown in FIG. **23**, so that the recess **49** straddles the rod **4** to allow the attachment structure **55** or **113** to disengage from the receiver **78**. The guide tool **9** or **10** is then pulled axially upward away from the bone screw **6** and from the incision **165** in the skin **14**, after which the incision **165** is closed.

It is to be understood that while certain forms of the present invention have been illustrated and described herein, it is not to be limited to the specific forms or arrangement of parts described and shown.

What is claimed and desired to be secured by Letters Patent is as follows:

1. A spinal bone screw implant in combination with a guide tool so that the tool attaches to the bone screw implant for guiding a rod into a receiver of the bone screw implant wherein:

- a) the receiver including a rod receiving channel and a first attachment structure near an upper end thereof;
- b) the tool including a rod guiding channel and a second attachment structure near a lower end thereof; the rod receiving channel and guiding channel aligning during use to guide the rod from the tool to the receiver;
- c) the first attachment structure including a radiused horizontal external groove extending at least partially circumferentially around the receiver, the tool second attachment structure including a radiused projection that is sized and shaped to be received in the radiused groove when the tool is secured to the receiver; and wherein
- d) the lower end of the tool is configured to cooperate with the groove when the rod is positioned within the receiving channel, when the tool and receiver are joined.

2. The combination of claim **1** wherein:

- a) the groove includes an undercut surface; and
- b) the tool projection includes an upwardly extending member to mate with the undercut surface when joined.

3. The combination of claim **1** wherein:

- a) the groove is sufficiently wide to receive the projection and hook member and thereafter the tool is pulled upwardly relative to the receiver to place the hook member in the recess so as to resist splaying of the tool relative to the receiver.

4. In a bone anchor receiver adapted to join with a tool for use in conjunction with the receiver, the improvement wherein:

- a) the receiver includes a rod-receiving channel with an external surface having an outward facing circumferential horizontal groove near a top thereof adapted to mate with an inwardly facing projection from the tool to secure the tool to the receiver.

5. The receiver according to claim **4**, wherein the groove includes an upper and inner recess adapted to receive a hook joined to the projection of the tool to resist splaying of the tool relative to the receiver during usage.

6. A spinal bone screw implant in combination with a tool so that the tool attaches to the bone screw for guiding a rod into a receiver of the bone screw for minimally invasive spine surgery and wherein:

12

a) the receiver includes a rod receiving channel and a first outward facing attachment structure;

b) the tool includes a rod guide channel and a second inward facing attachment structure; the rod receiving channel and rod guide channel aligning during use to guide the rod from the tool to the receiver;

c) the first attachment structure including a radiused horizontal groove extending circumferentially along the receiver, the second tool attachment structure having a projection that is sized and shaped to be received in the groove when the tool is secured to the receiver.

7. In a bone anchor receiver adapted to join with a tool for use in conjunction with the receiver, the improvement wherein:

a) the receiver includes an outward facing and partially circumferential extending horizontal radiused groove near a top thereof adapted to receive a projection from the tool to secure the tool to the receiver.

8. The improvement of claim **7**, wherein the receiver is a component of a polyaxial bone screw having a cannulated shank.

9. A bone screw comprising:

a) a head having spaced arms for receiving a rod therebetween, each arm having an outer surface with a tool receiving slot formed thereon, the recess extending horizontally and circumferentially along the outer surface of the arm, and near a top thereof, the slot sized and shaped for receiving a projection from a tool to secure the tool to the arm; and

b) a shank for insertion into a vertebra, the shank being in polyaxial relationship with the head prior to fixing a position of the shank with respect to the head, the shank having a central through bore sized for receiving a guide pin for positioning the shank at a desired position in the vertebra.

10. A bone anchor comprising:

a) a head having first and second spaced arms for receiving a rod therebetween, each arm having an inner surface with a discontinuous helically wound guide and advancement structure and the first arm having an outer surface with a tool receiving structure formed thereon, the structure extending horizontally and circumferentially about at least a portion of the arm, the structure sized and shaped for receiving a projection from a tool to secure the tool to the arm and wherein the tool is configured to guide the rod inbetween the first and second spaced apart arms and thereafter be disconnected from the head; and

b) a shank for insertion into a vertebra, the shank being in polyaxial relationship with the head prior to fixing a position of the shank with respect to the head, the shank having a central through bore along an entire length thereof, the bore being sized for receiving a guide pin for positioning the shank at a desired position in the vertebra.

11. In a bone anchor having a head with first and second opposed arms defining a channel for receiving a rod and a shank, the improvement wherein:

a) the first arm has a tool receiving structure comprising a groove extending at least partially circumferentially and horizontally about a periphery of the first arm near an upper surface thereof, the tool receiving structure engaging a tool projection in overlapping relationship.

12. A bone anchor head having first and second spaced apart arms defining a channel for receiving a rod therebetween, each arm having an inner surface with a discontinuous helically wound guide and advancement structure, the first

13

arm having a outer surface with a radiused tool receiving slot formed thereon and near a top thereof, the slot extending from near the channel horizontally and circumferentially about a portion of the first arm, the slot sized and shaped for receiving a projection from a tool to secure the tool to the arm, and wherein the tool is configured to be disconnected from the head after insertion of a rod into the channel.

13. The bone anchor head of claim 12, further comprising a cannulated screw shank.

14. The bone anchor head of claim 12, wherein a closure top on an insertion tool can be threadingly received between the first and second spaced apart arms while the tool is still attached to the head.

15. The bone anchor head of claim 12, wherein a rod can be inserted inbetween the first and second spaced apart arms while the tool is attached to the head, afterwhich the tool can be disconnected from the head.

16. A spinal bone anchor in combination with a tool so that the tool attaches to the bone anchor for guiding a rod into a receiver member of the bone anchor for minimally invasive spine surgery and wherein:

- a) the receiver member includes upright arms forming a rod receiving channel and one of the upright arms having a radiused, horizontal, circumferential groove for receiving a projection of the tool, so as the tool can guide the rod into the receiver member, the groove being located on an exterior surface of the upright arm and near a top thereof,
- b) the tool including a central opening, wherein a closure top can be inserted into the receiver member after the rod is inserted in the rod receiving channel, and whereafter the tool can be removed from the receiver member groove.

17. The combination according to claim 16, wherein the tool is rotatable removable from the receiver member.

18. In a polyaxial bone screw having a head with first and second opposed arms defining a channel for receiving a rod and a shank pivotable with respect to the head, the improvement wherein:

- a) the first arm has a tool receiving structure comprising a slot for overlapping engagement with the tool having a tool projection at a lower end thereof, the slot formed in and extending from the channel circumferentially and horizontally about a periphery of the first arm near an upper surface thereof, the tool receiving structure engaging a tool projection to prevent splaying of the lower end of the tool off of the head.

19. A spinal bone screw implant in combination with a tool so that the tool attaches to the bone screw for guiding a rod into a receiver of the bone screw for minimally invasive spine surgery and wherein:

- a) the receiver includes upright arms forming a rod receiving channel and one of the upright arms having a radiused, horizontal, circumferential groove for receiving a projection of the tool, so as the tool can guide the rod into the receiver, the groove being located on an exterior surface of the upright arm and near a top thereof,
- b) the tool including a central opening through which a closure top can be inserted into the receiver member before and after the rod is inserted in the rod receiving channel, and whereafter the tool can be removed from the receiver groove.

20. In a bone anchor having a head with first and second opposed arms defining an inner channel opening extending completely therethrough for receiving a rod and a shank pivotable with respect to the head, the improvement wherein:

14

- a) the first arm has an outer tool receiving structure comprising a slot for overlapping engagement with the tool having a tool projection at a lower end thereof, the slot formed in and starting from near the channel opening and extending circumferentially and horizontally about a periphery of the first arm near an upper surface thereof, the tool receiving structure engaging a tool projection to prevent splaying of the lower end of the tool off of the head.

21. A spinal bone anchor implant having a receiver wherein:

- a) the receiver includes upright arms forming a rod receiving channel and at least one of the upright arms having a radiused, horizontal, circumferential groove for mating with a tool, the groove being located on an exterior surface of the upright arm and near a top thereof, the groove having a downward facing surface, wherein when the tool is mated with the groove an anchor implant closure is insertable into the rod receiving channel.

22. In a polyaxial bone screw having a head with first and second opposed arms defining an inner channel opening extending completely therethrough for receiving a rod and a shank pivotable with respect to the head, the improvement wherein:

- a) the first arm has an outer tool receiving structure comprising a radiused groove starting from near the channel opening and extending circumferentially and horizontally about a periphery of the first arm near an upper surface thereof.

23. A spinal bone anchor having a receiver in combination with a tool so that the tool attaches to the bone anchor receiver for guiding a rod into the receiver wherein:

- a) the receiver includes a rod receiving channel and an outwardly facing first attachment structure near an upper end thereof;
- b) the tool includes a rod guiding channel and an inwardly facing second attachment structure near a lower end thereof; the rod receiving channel and guiding channel aligning during use to guide the rod from the tool to the receiver;
- c) the first attachment structure includes a radiused horizontal external groove extending circumferentially along the receiver, the tool second attachment structure including a projection that is sized and shaped to be received in the radiused groove when the tool is secured to the receiver; and wherein
- d) the lower end of the tool is configured to cooperate with the groove when the rod is positioned within the receiving channel to allow the tool to be released from the bone anchor receiver.

24. The combination of claim 23, wherein the tool further comprises a central opening along the entire length thereof.

25. The combination of claim 23, wherein the tool further comprises a thread used for rod reduction.

26. The combination of claim 23, wherein the tool has a lower end portion that expands, so as to be attached to the receiver at the groove.

27. In a bone anchor receiver adapted to join with a tool for use in conjunction with the receiver, the improvement wherein:

- a) the receiver includes an outward facing circumferential horizontal side groove adapted to receive a projection from the tool to secure the tool to the receiver and a back surface and a front surface and a rod receiving channel

15

extending from the back to the front surface, and wherein the side groove extends to one of the front and back surfaces.

28. A combination of a bone anchor receiver and a tool operably engaging the receiver in use; the receiver and tool having a common central longitudinal axis when joined; the receiver having a groove near a top thereof that is circumferentially and extends about an exterior of the receiver and that is radially positioned relative to the axis; the tool having a projecting structure radially positioned relative to the axis and configured to be snapped into the groove when the tool engages the receiver.

29. The combination according to claim 28, wherein the receiver has two upstanding arms forming said channel therebetween for receiving said rod and the tool has a pair of spaced legs with each of the legs engaging a respective arm, when joined.

30. The combination according to claim 29, wherein the legs are resiliently joined with the receiver by expanding outward and thereafter the projecting structure that is located on one leg is received in the groove to secure the tool to the receiver.

31. The combination according to claim 29, wherein the legs are springy and join with the receiver by expanding outward and thereafter the projecting structure that is located on one leg is received in the groove to secure the tool to the receiver.

32. The combination according to claim 31, wherein lower ends of the legs extend so as to be aligned with the rod in the channel when the tool and receiver are joined.

33. A spinal bone anchor in combination with a tool so that the tool attaches to a receiver of the bone anchor and wherein:

- a) the receiver includes a rod receiving channel and a first attachment structure;
- b) the tool includes an opening at a lower end thereof and a second attachment structure; the receiving channel and tool opening aligning during use;
- c) the first attachment structure including a radiused horizontal groove extending circumferentially along at least a portion of the receiver, the tool having a projection that is sized and shaped to be received in the groove when the tool is secured to the receiver.

34. In a bone anchor receiver adapted to join with a tool for use in conjunction with the receiver, the improvement wherein:

- a) the receiver includes an outward facing circumferential horizontal side groove near a top thereof adapted to mate with the tool to secure the tool to the receiver, and wherein the tool has a central opening extending an entire length thereof.

16

35. A bone anchor comprising:

- a) a head having spaced arms for receiving a rod therebetween, each arm having an outer surface with a tool receiving slot formed thereon, the slot extending horizontally and circumferentially about a portion of the arm, the slot sized and shaped for attachment of a tool to secure the tool to the arm, the attachment being located near a top of the head.

36. In a bone screw having a head with first and second opposed arms defining a channel for receiving a rod, the arms having a front surface, and a shank, the improvement wherein:

- a) the first arm has a tool receiving structure comprising a horizontal radiused groove extending to the front surface.

37. A bone anchor comprising:

- a) a head having first and second spaced arms for receiving a rod there-between, each arm having an inner surface with a discontinuous helically wound guide and advancement structure and the first arm having an outer side surface with a tool receiving groove formed therein and near a top thereof, the groove extending horizontally and circumferentially about at least a portion of the arm from a front surface thereof, the groove sized and shaped for receiving a projection from a tool to secure the tool to the arm and wherein the tool is configured to guide the rod inbetween the first and second spaced apart arms and thereafter be disconnected from the head; and
- b) a shank for insertion into a vertebra, the shank being in polyaxial relationship with the head prior to fixing a position of the shank with respect to the head.

38. The bone anchor of claim 37, wherein the shank further comprises a central through bore along an entire length thereof, the bore being sized for receiving a guide pin for positioning the shank at a desired position in the vertebra.

39. A spinal bone anchor in combination with a tool, the tool being attachable to the bone anchor near an upper end thereof, the improvement wherein:

- a) the bone anchor includes a receiver having a rod receiving channel and a tool attachment structure located near the upper end thereof; and wherein the tool attachment structure includes a horizontal, circumferential, radiused groove for mating with a lower end of the tool.

40. The combination of claim 38, wherein:

- a) the groove includes a downward facing undercut surface; and
- b) the tool lower end includes an inwardly extending member to mate with the undercut surface when joined.

41. The combination of claim 38, wherein:

- a) the groove surface and tool extending member cooperate to resist splaying of the tool relative to the receiver.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : 9,055,978 B2
APPLICATION NO. : 13/573660
DATED : June 16, 2015
INVENTOR(S) : Roger P. Jackson

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In claim 9,
- column 12, line 25, delete "recess" and replace with --slot--.

Signed and Sealed this
Seventh Day of June, 2016



Michelle K. Lee
Director of the United States Patent and Trademark Office